

SCIENTIFIC AMERICAN

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. XLII.—No. 1.
[NEW SERIES.]

NEW YORK, JULY 5, 1879.

[\$3.20 per Annum.
[POSTAGE PREPAID.]]

THE KANSAS WHIRLWINDS.

On the evening of May 30, a severe storm swept over portions of Kansas, Nebraska, and Missouri, developing locally two or more whirlwinds of limited scope,—but of terrific violence. The severest of these appears to have formed on the Salina river, Kansas, crossing the country to Solomon river, thence northeastward into Nebraska. Much of the country traversed has been but recently settled, and in the absence of complete telegraphic communication, it is impossible to form a connected idea of the course of either of the whirls, or to gain any definite idea of the destruction wrought by them. Forty or fifty persons are reported killed and wounded; and many houses were wrecked at points so situated as to make it certain that no single whirlwind could have done all the mischief. Even where a definite line of disaster can be traced on the map, it takes a curiously zig-zag direction; and local reports describe the main course as

having been diversified by many remarkable loops and curves.

In their general features, the whirls substantially repeat those of the whirlwind that wrecked the town of Richmond, Mo., just a year before. There was the same sort of funnel-shaped cloud, with its terrific rotary motion and irresistible suction, sweeping across the country with a writhing motion, leaving in its track a looped and sinuous line of ruin and death. Whatever came within its range was lifted bodily, torn to pieces, and scattered broadcast over the country. Nothing was blown down; everything was twisted and whirled into promiscuous ruin. Horses, cattle, and hogs were caught up and carried to considerable distances, then thrown aside, crushed often into shapeless masses. In some places the track would be straight and narrow; at others the terrible meteor would sway from side to side, leaving a belt of partial destruction half a mile wide, with

here and there a section entirely unharmed, perhaps an island-like space in a loop of complete devastation. In one of these loops, it is said, a house remains undisturbed, though the terrible whirl passed closely all around it.

Our engraving shows, as well as a single drawing can, the general aspect of whirlwinds of this nature. The artist, Mr. Davidson, has had the good fortune to witness one or more of these unwelcome visitants, without experiencing its immediate effect, and has given an accurate picture of their appearance. It is impossible for the most lively imagination, uninstructed by actual observation or experience, to form any adequate idea of the imposing grandeur or the terrific force of whirling storms. The forward motion of the whirl may be not more rapid than that of a stiff breeze; yet the actual speed of the wind in the whirl would seem to be immeasurably great. It is impossible to estimate the resistless violence of the air movement at such times. Houses



THE KANSAS WHIRLWINDS.

are swept up like straws, heavy wagons and machinery are crushed and carried for long distances, and the toughest trees are twisted off like reeds. The electrical action in connection with these murderous whirls is naturally excessive, but the immediate rainfall is apt to be slight.

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors.

PUBLISHED WEEKLY AT
NO. 37 PARK ROW, NEW YORK.

O. D. MUNN.

A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year, postage included..... \$3 20
One copy, six months, postage included..... 1 60
Clubs.—One extra copy of THE SCIENTIFIC AMERICAN will be supplied gratis for every club of five subscribers at \$3.20 each; additional copies at same proportionate rate. Postage prepaid.
Single copies of any desired number of the SUPPLEMENT sent to one address on receipt of 10 cents.
Remit by postal order. Address MUNN & CO., 37 Park Row, New York.

The Scientific American Supplement

Is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, with handsome cover uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, postage paid, to subscribers. Single copies 15 cents. Sold by all news dealers throughout the country.
Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, postage free, on receipt of seven dollars. Both papers to one address or different addresses, as desired.
The safest way to remit is by draft, postal order, or registered letter. Address MUNN & CO., 37 Park Row, N. Y.

Scientific American Export Edition.

The SCIENTIFIC AMERICAN Export Edition is a large and splendid periodical, issued once a month. Each number contains about one hundred large quarto pages, profusely illustrated, embracing: (1.) Most of the plates and pages of the four preceding weekly issues of the SCIENTIFIC AMERICAN, with its splendid engravings and valuable information; (2.) Commercial, trade, and manufacturing announcements of leading houses. Terms for Export Edition, \$5.00 a year, sent prepaid to any part of the world. Single copies 50 cents. Manufacturers and others who desire to secure foreign trade may have large, and handsomely displayed announcements published in this edition at a very moderate cost.
The SCIENTIFIC AMERICAN Export Edition has a large guaranteed circulation in all commercial places throughout the world. Address MUNN & CO., 37 Park Row, New York.

VOL. XLI., No. 1. [NEW SERIES.] Thirty-fifth Year.

NEW YORK, SATURDAY, JULY 5, 1879.

Contents.

(Illustrated articles are marked with an asterisk.)

American carvings, ancient.....	9	Inventions, mechanical, recent.....	5
Anchor, improved.....	9	Kansas whirlwind.....	1
An inventor victorious.....	9	Lamp, electric, new.....	4
Art, industrial, in New York.....	9	Lead pipe protecting.....	3
Astronomical notes.....	8	Longevity, comparative.....	10
Bessemer, Sir Henry.....	6	Magnetizing molten iron.....	2
Building timber, diseases of.....	3	Medical photography.....	5
Clock, pneumatic.....	9	Mudlarks [27].....	12
City, for.....	8	Notes on.....	11
Coal, anthracite, in Mexico.....	5	Patent right discussion in Eng.....	2
Combustion, spontaneous.....	6	Patents, American, recent.....	4
Consumption, cause of.....	9	Pens, water [29].....	12
Crickets stop a train.....	7	Phosphorescent powders.....	9
Device, sep. cream from milk.....	9	Phosphorescent substances.....	8
Earthquake, disastrous, in Sicily.....	2	Photography, medical.....	5
Earth's, the, magnetic poles.....	2	Pigeons, carrier.....	6
Electric lamp, new.....	4	Piles, dry [25].....	12
Electric plating with copper.....	9	Planets, position of [11].....	11
Elephant shrew.....	7	Plants, self defense among.....	7
Explosive, Austrian, new.....	9	Projectiles, penetration of [2].....	11
Fire engines, self-propelling.....	3	Pump, rotary novel.....	6
Fish, Pacific destruction of.....	4	Scientific credulity.....	3
Flies, ichneumon.....	11	Sculpting paper.....	10
Glass, ruby [17].....	11	Steam engine of the future.....	20
Glue.....	6	Steam jet in smoke stack [15].....	11
Gopher trap wanted.....	4	Stone, a large block of.....	3
Gyroscope, electrical [26].....	12	Tea culture, prospects of.....	3
Horses, unshod.....	5	Telephone, universal.....	4
Hydriodic acid.....	5	Thick thighed walking stick.....	7
Insects, to preserve [5].....	11	Volcanoes, active in Java.....	5
Intercourse, ancient, with China.....	11	Water, pressure of, in pipes [6].....	11
Inventions, engineering.....	10		

TABLE OF CONTENTS OF THE SCIENTIFIC AMERICAN SUPPLEMENT No. 183.

For the Week ending July 5, 1879.

Price 10 cents. For sale by all newsdealers.

I. ENGINEERING AND MECHANICS.—Concrete Walls. Basement Stables, and how to build them. Making the concrete. Building the driveways. Artificial Sandstone. Improved method and apparatus for manufacturing. Grand River Bridges. On the route to the diamond fields. 1 illus. Proposed High Level Bridge over the Thames, London. Mr. Angelo J. Sedley's design. 2 illustrations. Stevenson's Suspension Railway. A novel plan for a street railway. 1 figure. Side and end elevation. The Horograph. A clockwork perforating pen. 2 figures. The Corlies Pumping Engine for Pawtucket, R. I. Fig. 1.—Plan of engine. Fig. 2.—Side elevation.	
II. METALLURGY.—The Preparation in a State of Purity of the Group of Metals known as the Platinum Series, and Notes upon the Manufacture of Iridio-platinum. By GEORGE MATTHEY. An extremely valuable, practical paper, read before the Royal Society. Brief History of Bessemer Steel. By Mr. BESSEMER. An interesting sketch of the history of a great invention. 6 figures, showing specimens of cold pressed and twisted Bessemer steel, exhibited at the Iron and Steel Institute. Progress of Bessemer steel in shipbuilding. III. TECHNOLOGY AND CHEMISTRY.—On a Method of Precipitating Manganese Entirely as Dioxide, and its Application to the Volumetric Determination of Manganese. By J. PATTERSON. Adulteration of Wax. By Dr. MAX. On the Determination of Nitric Acid as Nitric Oxide, by means of its Action on Mercury. By Mr. WASHINGTON. Amalgams. A highly important contribution to dental literature. By Dr. CHARLES J. ELLIS. IV. GEOLOGY, GEOGRAPHY, ETC.—The Wilderness at the Head of the Missouri, Columbia, and Colorado Rivers. By CHARLES F. BLACKBURN. The geology and topography of the Big Horn Mountains. Mineral deposits of the Snowy Mountains. Sierra Shoshone Mountains. Wind River Mountains. Green River and its extensive hydraulic gold field. Barometrical observations. Zoology. The National Park. The World in Wax. The largest globe in existence. Physical features shown in relief in wax. A Buried Forest. The Great Spirit Springs of Kansas. V. LIGHT, HEAT, ELECTRICITY, ETC.—Gas for Producing Electric Lights. Testimony of C. W. Cooke before Parliamentary commission. The Electric Light. Results of the trial of the Jablochkoff system on the Thames Embankment. The Electric Light. Testimony of Professor Tyndall and Dr. Siemens. VI. ANTIQUITIES.—The Antiquity of Man. By Rev. L. J. TEMPLE. An examination of the geological and ethnological evidence of the antiquity of the human race. The Cuneiform Inscriptions at Nineveh. Principal objects and results of Mr. Hormuzd Rassam's excavations. The Library of Assur-banipal. VII. PHYSIOLOGY.—Color Sensation at a Recent Meeting of the Edinburgh Photographic Association. Lecture by ROBERT BROW, C.E., F.R.S.E., on theories of color sensation. VIII. NATURAL HISTORY.—Rob: A Bird Biography. By Rev. SAMUEL LOCKWOOD, Ph.D. A clever study of bird life in the person of a pet robin. IX. MEDICINE AND PHARMACY.—Betonica Officinalis (Wood Betony). By F. HERBING, M.D. A valuable new remedy. Orange Flowers and Oranges. By W. B. BUSSE. Paper read before Philadelphia College of Pharmacy. Anda and Oil of Anda Seed. X. MISCELLANEOUS.—Bullock's Hide Boats. An Afghan Raft. Large illustration. Propagating Rare Plants. By THOMAS LAWRENCE. Currents for Profit.	

A PATENT RIGHT DISCUSSION IN ENGLAND.

At a meeting of the Society of Arts, in London, May 7, a paper was read by a member reviewing the salient features of the government patent bill now before Parliament, and in the discussion that followed a number of prominent gentlemen took part. There was also read a long letter from a committee of Glasgow inventors, pointing out some of the more objectionable features of the proposed law, and approving the motion now on the notice paper of the House of Commons, to the effect that no measure or change in the patent laws would be satisfactory if it continued to treat inventors as public enemies, to be impeded and heavily taxed, instead of legislating so as to stimulate the inventive genius of the nation to bring improved machinery and labor-saving appliances to the aid of the depressed industries of the country.

The circumstance that several of the obnoxious features of the bill under criticism were those which would be reformers of the American patent system insist on our adopting, gave unusual interest to the discussion from an American point of view. Two points were especially noticeable: the emphasis laid upon the justice and sound policy of respecting the natural rights of inventors, and the general acknowledgment of the superiority of the American patent law in securing the end aimed at—namely, the encouragement of invention.

The chairman of the meeting, Mr. F. J. Bramwell, said that the grudging assent given to the necessity of a patent law by those who looked upon patentees as in some sense adversaries of the public at large, was altogether unreasonable. Dr. Siemens had put the matter most pithily in saying that if an invention should be found lying in the gutter, it would be better that an owner should be assigned it, rather than have it left as common property. With an owner it would probably become a public benefit; without an owner it would most likely be left unused. So far from its being the desire of persons engaged in manufacture to adopt new inventions, the truth was that such persons dreaded nothing more, and naturally. When they had their machinery set up to work a certain process, and their workmen trained to use it, they were not too ready to adopt any new idea that came before them. It simply placed them in the dilemma of either leaving it alone, which would be the easiest thing to do, or adopting it, perhaps at enormous expense. Of course they would be inclined to leave it if they could without risk of their rivals getting ahead of them. Except in the case of very enterprising men, who wish to push themselves forward, the tendency of manufacturers is to let inventions alone. An inventor is generally a man not engaged in the trade he improves, and such men are very unfavorably placed for carrying out their inventions. Without capital, business knowledge, or connections, they are incapable by themselves of developing their inventions; but protected by a patent, they can go to a capitalist and induce him to bring their invention forward by offering him special privileges for so doing. Mr. Bramwell happily sums up in one sentence the vital objection to the government bill, an objection which reminds us of the bill before Congress last winter: "There seemed to be a desire in the minds of the framers of the bill to take advantage of the invention without protecting the inventor, and the prevailing idea seemed to be that if the public could get something without giving an equivalent in the shape of protection to the inventor, it would be so much gain." The futility of expecting to gain by such a transparent swindle would seem to need no insisting on except to such statesmen as would expect a country to profit by the repudiation of its honest debts.

Mr. Anderson, Member of Parliament, insisted that there was really no difference between the interests of the public and of inventors in the matter, and that to stimulate the inventive genius of the country would be most beneficial to all. In fact, after considerable experience, he had come to the conclusion that two things were necessary to put English manufacturing industry in a satisfactory position, and they were technical education, as given on the Continent, and the conferring of liberal patent rights, so that inventive genius might be induced to come forward. An instance of the results of liberal patent laws was furnished, he said, by America. Most modern inventions came thence, not because people's brains were more inventive there, but on account of facilities and encouragement given by American patent regulations.

Admiral Selwyn said that if the English people desired to restore their country to her former proud position among the nations of the globe, it would be in vain to rely on free trade or anything else. Nobody could fail to see that if the patent fees were made as low as in America, ten times as many patents would be taken out. The opinion that three or four years were sufficient to determine the practicability of an invention was not well founded. The Bessemer process, for instance, was not accepted until twelve years after the invention was put forward, and such a fact as that should justify the endeavor to fence the inventor round with such protection as would induce capitalists to put inventions into operation. There were in the Patent Office hundreds of inventions which had been brought forward before the public were ready to adopt them, though calculated to be of the greatest benefit to humanity; but they now lie idle there because they cannot be repented. Inventors were the prophets of their day, pointing out the path to material progress, as the prophets of old showed the path in morals, "and we treat our prophets exactly as our forefathers treated the prophets of their time."

After noting at length certain features of the American patent system as commendable and worthy of adoption—small fees, extended life, paid commissioners, payment for inventions adopted for government use, and so on—Admiral Selwyn said, that as representative of the British section of the International Congress of Paris, he could assure the society that the prevailing idea there was that the nation which gave the best protection to inventors would take its place in the forefront of progress, and that by no other means than recognizing that an inventor was a benefactor of every state, could true progress be achieved.

These are a few of the points brought out in the discussion, points having a direct bearing on the patent question as it stands in this country. They are noteworthy as confirming the wisdom of the founders of the American patent system in making it first of all accessible to all men and a real encouragement to inventors. No other patent system has come so near doing exact justice to inventors, and none has approached it in the accomplishment of its grand purpose, the advancement of the useful arts. This the friends of industrial progress are recognizing more and more clearly everywhere; and in every civilized country the best informed statesmen are pointing to this country as an exemplar of the practical advantages of dealing justly and liberally with inventors. Yet we doubt not there will appear before Congress next winter, men calling themselves statesmen and friends of progress, who will insist that patents do not encourage invention, that the country is oppressed by patent monopolies, and that the only way to save our industries from stagnation and destruction is to tie up our inventors and let loose the infringer.

MAGNETIZING MOLTEN IRON.

In a letter to Dr. C. W. Siemens, and communicated by him to the British Society of Telegraphic Engineers, Mr. E. Chernoff records a very curious experiment. Believing that if it were possible to magnetize white cast iron a magnet of greater permanence than any made of steel would be obtained, Mr. Chernoff cast some white refined iron in a mould, surrounded by an electro-magnetic reel, along which a current was allowed to flow during the process of casting, so that the fluid metal became magnetic, and cooled under the influence of the magnetic current.

The result so far justified the expectation as to give a magnetized bar of white cast iron; but the form of the bar was unlike what was expected. While pouring the metal into the mould and until the metal set, Mr. Chernoff observed a singular agitation of the metal, which could not have proceeded from damp, as the mould was thoroughly dry. On cooling the bar proved to be hollow, the cavity being symmetrical and extending about two-thirds the length of the bar. The metal was thinnest just opposite the center of the reel, where it did not exceed the thickness of writing paper. The agitation of the metal in cooling is accounted for by the repulsion of the molten metal toward the poles of the magnet.

By casting under pressure it may be possible to obtain by this method extremely permanent and powerful magnets of white iron. Possibly also this experiment may lead to some useful modification of industrial processes for casting hollow cylinders without cores.

A NEW THEORY OF THE EARTH'S MAGNETIC POLES.

From a study of the movement of the compass-needle producing declination at London, Mr. B. G. Jenkins, of the Royal Astronomical Society, has become convinced that the various vicissitudes of the needle during the last 300 years can best be explained by the supposition of a strong magnetic pole above the earth's surface, and revolving around the geographic north pole in about 500 years. He finds four magnetic poles, as maintained by Halley and Handsteen, to be necessary to explain satisfactorily all the phenomena of terrestrial magnetism, but he places these not in the earth, but in the atmosphere. These poles he regards as the free ends of as many broad magnetic belts, two extending from the vicinity of the north pole to the equator, the other two coming up from the south pole to meet them, the boreal magnetism of the northern belts uniting with the austral magnetism of the southern belts along the magnetic equator. These bands he believes to revolve at slow and unequal rates round the poles of the earth, producing secular variations.

It will be observed that Mr. Jenkins describes the magnetism of the northern hemisphere as "boreal." Contrary to the current theory, he holds that the north end of the compass needle is a true north pole, and that the facts observed are, when properly understood, in full accord with the great magnetic truth that like poles repel and unlike poles attract.

After submitting the evidence in favor of this view, Mr. Jenkins argues in this wise: If the north end of the dipping needle is a south pole, its pointing to the ground in Boothia (where Sir James Ross located the earth's north magnetic pole) must be attributed to attraction. If it is attracted it is attracted by something either in the crust of the earth or at the center of the globe. If there is something in the earth's crust which attracts the needle in Boothia, it ought to attract the needle in London. But the needle in London is attracted neither to the crust at Boothia nor to the earth's center. The truth is, Mr. Jenkins believes, that the north pole of the needle pointed to the ground almost perpendicularly in Boothia because it was repelled by the true north

magnetic pole in the atmosphere above that region when Sir James Ross was there fifty years ago.

Further evidence as to the existence of the alleged magnetic belts above the earth's surface is promised. Meantime it is of the first importance, Mr. Jenkins thinks, that it should be clearly settled whether the magnetic pole remains in or above Boothia. According to his calculation it should now be in lat. 72°, long. 115°, in Prince Albert Land.

OBJECTIONS TO SELF-PROPELLING FIRE ENGINES.

Owing to the practical difficulties in the working of self-propelling fire engines and doubts as to their relative efficiency, the New York Fire Department lately called for reports from the battalion chiefs with regard to the engines in use here. An opinion was also asked from the chief of the department, Mr. Eli Bates, who states the main objections to them as follows:

"Ninety pounds of steam pressure is required to be kept on the boiler continually for the purpose of conveying them to a fire, the result of which is that the continual pressure weakens the boiler, and more repairs are required than to the boilers of horse engines. The engines and pumps are used in going to and returning from fires, thereby causing considerable wear and tear on the machinery. They cannot be conveyed to and from a fire (especially when there are snow and ice in the streets) as safely as a horse engine. The wear and tear on the running gear exceeds that of a horse engine on account of the additional weight and the sudden strain when the motion is reversed, and when there is deep snow on the ground it is not a certainty that they can reach a fire without horses. With horses attached to them and assisted by steam power in heavy wheeling they are the best. They cannot be used by the department generally (the same as horse engines), but only in companies where the officers and men have been specially trained to the handling of them, and this cannot be acquired without long experience, during which time they are liable to meet with serious accidents. I would further state that I consider them more liable to cause fires from cinders than the horse engines while going to and returning from fires, especially in localities where light and inflammable goods are hanging in front of stores or on awnings."

It would appear from the above that further invention is needed before the steam fire engine can be called a perfected machine.

THE PROSPECTS OF TEA CULTURE.

That it is possible to grow good tea in this country is beyond doubt. That by the cultivation of a few bushes in garden plats a great many American families may be able to secure a small quantity of finer tea than can be had in the market, without calling in outside help and without seriously increasing domestic care and labor, is quite probable. That it will ever pay for Americans to undertake tea growing as a business is altogether another matter. No doubt mechanical improvements in the processes of tea gathering and curing may greatly diminish the cost of labor; but the same improvements can be introduced elsewhere, and ultimately the American tea industry would have to compete on unequal terms with that of China, India, Japan, and other lands.

The question of future competition among existing tea growing countries is seriously considered by the *Indian Tea Gazette*, of Calcutta, in discussing the prospects of Indian tea. After reviewing hopefully the immediate prospects of tea culture in India, the *Gazette* insists that great caution is required in the extension of the tea industry.

"Doubtless the tea drinkers in the world are increasing greatly year by year, but, alas! so is the produce. It is not now a case of India *versus* China; it is India *versus* China, Java, Japan, Ceylon, etc. It is certainly quite on the cards that in a few years the supply will exceed the demand. No one can say that it will be so; equally can no one say that it will not be so. But so much we can and do say: that, with things as they are to-day, he is not a wise man who embarks in tea cultivation, or who extends the area he has at present, except all the conditions for success are pre-eminently to the fore. We think where these all exist tea will pay for ever and a day; but their existence, all combined, is quite exceptional. To give the sum of our advice in a few words: we would not ourselves, as things are, plant tea in any but the best tea climate and on any but perfectly flat land—not unless we could eventually look for more than 6 mds. (600 pounds troy) per acre—where the communication is not good, and where any difficulty does now or may hereafter exist as to labor."

At this rate the prospect of any great development of tea culture in this country is not alarmingly brilliant.

THE DISEASES OF BUILDING TIMBER.

In an article on this subject the *Building News* remarks that it seems an odd thing that timber trees should be almost as liable to disease as man is; but it is undoubtedly true, and the disease, in the case of trees as well as of man, arises from preventable causes. Dr. James Brown states that the principal diseases likely to be brought on forest trees by bad management are: (1) bark binding, (2) lichen growth on the bark, (3) stag-horn tops, (4) scale, (5) premature seeding, (6) dropsy, (7) ulcers, (8) wounds, and (9) stunted growth of the young wood. Now, in addition to these defects, we have in the manufactured timber such matters to contend with as doatiness and the excess of sap and weariness, concerning which so many complaints are made.

The disease called "bark bound" is caused by the bark

being girdled or bound about the wood of the tree, thereby preventing the proper flow of the sap, and also arresting the descent of woody matter between the wood and bark. If the cause of this disease be not remedied in time, the vital fluids become gradually checked, till at length the passages become entirely closed, and, as a natural consequence, the tree dies.

The appearance of lichens on the bark of trees is not always a symptom of disease, but may be occasioned by a temporary derangement of the outer bark, and if observed in time, diseases may be arrested by removing the cause before it has had time to become decidedly fixed in the constitution of the trees affected.

Willows and poplars, which luxuriate in a soil rather damp than otherwise, generally become stag-horn-topped when grown in a soil too dry for their healthy development. Elm, oak, ash, plane, etc., generally become in the same condition when the soil in which they are grown is too damp to maintain them in a healthy state.

"Scale" is a small white insect found clinging to the bark of some species. In forest trees it is usually found upon the ash while in a young state. These insects appear like very numerous small white spots, like those on the bark of the birch.

As to premature seed-bearing, it may be said that trees in a healthy, rapid growing state are seldom found to produce seed till they have arrived at a considerable age and size. Generally speaking, any forest tree under forty years of age bearing much seed is not likely to arrive at a valuable size. When a young tree produces a profusion of seed there can be no doubt that it is in a state of premature decay, and we may be assured that it will not become valuable as timber.

Dropsy generally takes place in forest trees either where the soil is too rich for them, or where there is an excess of moisture about the roots. The cause appears to be that the roots absorb into the system of the tree an excess of juice, which the leaves and bark cannot assimilate. In this disease unnatural swellings are observed on some part of the stem, and which begin to rot and throw off the bark. It is incurable, and the only thing to do is to prevent it by proper draining of the ground and seeing that it be not over rich.

An ulcer much resembles dropsy, but it is mostly confined to the larch and others of the coniferous tribe. Its appearance is that of a running sore upon the side of the stem, where the natural juices escape in the form of a hard resinous matter. This disease is mostly found upon young trees of this order, and is frequently occasioned by insects lodging their eggs in the inner bark, where the young live for a time and destroy the albumen.

Wounds are often caused by the trees receiving damage on their stems by having the bark peeled off by accident in some way or other, and may not only prove injurious to their health, but also be a frequent cause of death. But any simple wound made upon a healthy tree is seldom or never found injurious, but soon heals up.

The stunted growth of young wood is at once apparent by the very short annual growth of young wood upon all the lateral branches, and may be in general the natural result of any of the diseases already described. Every tree, when it has attained its full size and development of its nature, however healthy it may have hitherto been, gradually begins to fail in making young wood. This is the work of time, doing to the old tree what the disease does to the young.

"SCIENTIFIC CREDULITY."

A striking illustration of the anti-scientific bias which prevails in certain spheres of culture is afforded in an article in the *London Spectator*, wherein that clever journal moralizes at great length over what it calls scientific credulity. The occasion is an ingenious hoax perpetrated last winter by an Australian newspaper and widely circulated since. The *Spectator* says:

"The story having appeared in the *Times* without comment has, of course, been republished everywhere, and it is amusing to see that in many instances those who republish it think it necessary to be cautious and repudiate total disbelief. So many wonderful things, they say, and in especial one *London Journal* says, have turned out true that it would be rash to declare this one certainly invented. There is a disposition perceptible to think there may be something in it, though not all that is alleged, and that as Mr. Edison has bottled sound, so Signor Rotura—an Italian name was probably chosen because an Italian has made the most recent and successful experiments in embalming—may have bottled life; that as sound may be re-echoed weeks after it was first heard, so a lamb may skip about after it has been some weeks frozen. As there is an electric telegraph why should not death be baffled? That is a very curious instance of a new form of credulity which is growing up among us, a credulity which is not faith, but rather disbelief, so far-reaching that it causes a certain powerlessness of mind, an inability to reject at once and decidedly anything that even puts on the appearance of 'science.' The incapacity to weigh evidence—to see, for example, that for this story there is absolutely as yet no evidence at all, any more than there is evidence for the authenticity of Bulwer Lytton's 'Strange Story,' that there is no witness produced, or promised, or named, nothing but an unauthenticated narrative—is a phenomenon we are all well acquainted with; but this sort of credulity differs in kind from that. It would almost seem as if the advance of science had in some minds decreased the capacity for using the scientific method, as if their confidence in the usual data for reasoning had been

gradually so upset that they did not trust them any longer, and did not see why, a far off locality being granted, parallel lines should not meet, or the whole be smaller than the part. That would not, they think, be much more surprising than the phonograph. We observed only a little while ago a statement going the rounds of the newspapers that a certain Texan had eaten his own weight in meat at one sitting, no one apparently perceiving that if that were true then a pint bottle could hold a quart, and reasoning of any kind, even the reasoning necessary for arithmetic or mensuration, was entirely useless and unmeaning. The great truth that if two plus two can be five, counting is nonsense, and that the terms of any conceivable sum in arithmetic would all shift, seems to have lost some of its hold, to the indefinite injury, if the want of gripe became general, of human reasoning power. That is at all events a strange result of the progress of scientific discovery, and it is all the stranger because the new credulity is almost confined to the action of 'science' itself. People are not generally more credulous. They do not believe in each other more than they did, or in unusual events more than they did, and they believe in the supernatural a great deal less than they did. If the Archbishop of Canterbury and Lord Houghton and Professor Tyndall all declared that they saw and spoke with a sentient being possessing a body clearly not human, all journalists would at once accuse them either of falsehood or hoaxing or a very suspicious condition of brain and eyesight; but if they all declared they had seen a man swallow a drug which turned him all over both yellow and blue at the same time, the statement would be printed everywhere as the last 'medical marvel.' Yet the former assertion, though requiring, of course, unusually complete evidence, would involve no greater impossibility than the existence of any supernatural being does—which existence half the incredulous accept—while the latter is a contradiction in terms, and no more capable of proof than the assertion that on one occasion and in the usual conditions of the world, water being still water did outweigh mercury, which was nevertheless still mercury. There is the greatest reluctance even to consider any statement involving an acceptance of the supernatural combined with the most childlike readiness to swallow anything which can be described as a mechanical, medical, or mental marvel."

The *Spectator* goes on, at greater length than we have space for, to illustrate the various phases of this "new form of credulity," which is indirectly charged to the progress of science. Science has done so much that its disciples are half inclined to believe it can do anything, the *Spectator* would have us think. But this credulity as to the power of science is very far from being the state of mind which prevails among the scientifically minded. Over credulousness as to the possibilities of science is the weakness of those who know least of the real character of scientific achievements. In other words, credulity is a condition of ignorance and the lack of rational culture. And the success of scientific hoaxes, so-called, only measures the wide and varied unacquaintance with scientific truths among reputedly intelligent people. To blame science for this is about as absurd as it would be to blame civilization for the unreasonable beliefs with regard to the powers of civilized men current among certain savages. It is the absence of civilization or science in either case that makes the false idea tenable.

The circumstance that many who are very skeptical with regard to alleged supernatural occurrences unsupported by sufficient evidence, are yet over-ready to accept scientific marvels, simply proves that their education is not half completed. They know too little of science, and have had no real training in scientific habits of thought. The *Spectator* says that men are as credulous now as ever; that the popular appetite for the marvelous has not been diminished by the progress of science, though its direction has been changed; so that men now look to scientific instead of supernatural agencies for its gratification.

"The process of god making, so often repeated by humanity, is going on again, and Nature is being endowed with attributes which imply an absence of conditions and enveloped in the very atmosphere of awe which once surrounded the supernatural," which is true only so far as men have not yet been brought directly under the influence of scientific culture. Just so far as men are ready to accept without evidence any assertion made in the name of science we may be sure that they are ignorant of the first great lesson that science has to teach, and that their minds have lacked the training which comes through the acquisition of knowledge by scientific methods. "Scientific credulity" is a contradiction in terms. Credulity is essentially unscientific.

A Large Block of Stone.

One of the largest blocks of granite ever cut in the United States has recently been taken from the quarry at Vinalhaven. It is 59 feet long, 5½ feet square at the base, and 3½ feet square at the top. It weighs from 75 to 100 tons. It cost \$1,700 to quarry it and move it to the shed where it is to be finished. It is to foot the shaft of the monument to General Wool, to be erected at Troy, N. Y. The shaft, with the base stones, will form a structure of about 75 feet high.

PROTECTING LEAD PIPE.—The *Revue Industrielle* says that the interior of a lead pipe can be covered with an incrustation of sulphide of lead by making a warm concentrated solution of sulphide of potash flow through it for ten or fifteen minutes. Pipes thus treated seem to be covered with grayish varnish, which prevents the water flowing through them from acting upon the lead.

RECENT AMERICAN PATENTS.

An improved device for exhibiting diamonds and other precious stones to purchasers, to enable them to judge of their effect when worn, has been patented by Mr. Leon P. Jeanne, of New York city. It consists of a clamp of peculiar shape, provided with notched arms and claws, for holding the gem, and an ear wire or hook.

Mr. F. D. Thurman, of Atlanta, Ga., has patented an improved harness for horses. It consists in a rigid yoke open at the bottom and closed or bent over at the top, connected with the shaft, and provided with tugs and a girth or belly band for holding the yoke and shafts down to their places.

A bottle stopper, especially designed for bottles containing beer, mineral waters, and other effervescing liquids, has been patented by Mr. W. H. G. Savage, of Kingston, Ontario, Canada. A cam pivoted to the stopper and to a rigid standard serves to hold the stopper in place and to release it when required.

Messrs. A. A. Moore and Robert Cameron, of Trinidad, Col., have patented an improved fastening for horse collars, to take the place of the usual leather strap and buckle. It consists in a hinged metal strap attached to one part of the collar, and arranged to engage pins on a buckle plate on the other side of the collar.

An improved sleeping car berth has been patented by Mr. Frederick C. Hills, of Sioux City, Iowa. The object of the invention is to furnish a guard for preventing sleepers from rolling out of the upper berths of cars and vessels, and to prevent the berths from shutting up should the car be overthrown.

An improved gauge for applying lace to goods for trimming ladies' dresses, and for other purposes, has been patented by Mr. Joseph A. Denais, of Jersey City, N. J. It consists in a combination of U-shaped plates and sponge holders with a base plate.

An automatic device for filling drinking troughs for cattle from ponds and shallow wells, has been patented by Mr. W. L. Lankford, of Mirabile, Mo. It consists of a pipe leading from the pond to the trough, having a valve at the upper end, and a stem running through the pipe and pivoted to a float in the trough. The flow of water is controlled by the float.

Mr. George J. Record, of Conneaut, Ohio, has patented an improved casing or jacket for butter packages and other vessels, which may be removed and put on when required, the object being to keep the package neat and clean, and to protect it from injury.

An improved apparatus for evaporating and calcining alkaline solutions has been patented by Mr. H. L. Orrman, of Berlin Falls, N. H. It is designed for recovering the caustic soda contained in the alkaline solution or waste liquor from the chemical treatment of wood in the manufacture of wood pulp.

Mr. Edwin V. Heaford, of Covington, Ky., has patented an improvement in adjustable pattern plates for draughting garments. It contains the outlines of the garment and the details of the seams and various parts. To produce a perfect fitting draught, it is only necessary to adjust the pattern to the person and then lay it on a piece of paper and mark it out.

An improved honey knife, for uncapping comb cells, has been patented by Mr. Oliver J. Hetherington, of East Saginaw, and Tracy F. Bingham, of Abonia, Mich. It consists of a honey knife having a flange or cap arrester upon its rear edge.

Mr. Samuel Hower, of Cressona, Pa., has patented a box or cabinet for post office use, for facilitating the work of stamping letters and canceling stamps in small post offices. It consists of a small box or cabinet of suitable dimensions, to lie upon a post office table, divided into a number of compartments, and containing canceling stamps, tickets, etc.

An improvement in heels for boots and shoes has been patented by Mr. Benjamin Bradshaw, of New York city. It consists of a plate provided with a male screw attached to the sole of a boot or shoe, and a plate having a female screw attached to the heel. A heel attached by this device may be easily removed and replaced.

An improvement in mash tubs, for holding and mixing the mash, has been patented by Mr. Gottlieb Young, of Columbia, Pa. It consists in the peculiar construction and arrangement of stirring devices, and a false bottom, which facilitates drawing off the liquor.

Mr. Wm. L. Pitts, of Cerro Gordo, Ill., has patented an improved device for holding swine, which consists of tongs having V-shaped jaws, one of the jaws being provided with a round-headed pin, which enters the cavity between the sides of the animal's lower jaw and prevents the tongs from slipping.

An improvement in refrigerators, patented by Mr. Joseph P. Ast, of Staunton, Va., which consists in combining with the outer case of the refrigerator and the ice box, a series of separated parallel strips, which give direction to the circulating currents and strengthen the ice box.


An improvement in artificial pivot teeth has been patented by Mr. J. W. Holt, of Goldsborough, N. C. It consists in providing each tooth with a metal tube set into it when moulded, and burned in when the tooth is baked. The object of the invention is to provide a pivot hole of sufficient depth and size to admit of using a strong pivot.

An improved cam for stamp mills, patented by Mr. James Scott, of Denver, Col., is constructed so that the hub may

be keyed to the shaft independently of the cam arms. This arrangement admits of adjusting the cam arms, and renders it easy to detach either of the cam arms and replace it with a new one, without interfering with the other.

NEW ELECTRIC LAMP.

M. Jamin surrounds two nearly parallel carbon sticks with an elliptical coil of wire, through which passes the current which gives the light. This lamp is shown in the annexed engraving, which we take from *La Nature*; the coil, being in the same vertical plane as the carbon rods, is arranged so that the current through it is in the same direction as that which flows through the latter, producing the arc at their extremities. In virtue, therefore, of the law that currents in the same direction attract and those in opposite directions repel each other, the currents through the upper portion of the coil will attract the arc, and those through the lower portion will repel it. The lateral currents also, by reason of their tendency to deflect the arc into parallelism, aid in repelling the latter to the extremities of the carbons. So powerful is this effect of repulsion that, if the number of turns of wire in the coil be too great, the arc, if caused to pass between the lower portions of the carbon rods, will move upward with great velocity, and the light becomes extinguished, owing to the arc being too strongly attracted in the direction of the extremities of the carbons. With this apparatus the arc becomes strongly curved; and it is stated that the light evolved is very considerably augmented by its use, owing to the carbons being no longer consumed lateral-




M. JAMIN'S ELECTRIC LAMP.

ly, so as to shade the light. By using this apparatus, also, the lamp may be inverted, without any danger of the arc quitting the extreme ends of the carbon rods. These appear to be important advantages gained in the solution of one of the main questions in connection with electric lighting.

LUEDTGE'S UNIVERSAL TELEPHONE.

Dr. Luedtge, of Berlin, whose microphone, or, as he calls it, universal telephone, was patented January 12, 1878, some time before the microphone notes of Hughes and Edison were published, has lately improved his instrument to such a degree that it will probably answer all reasonable demands for telephonic conversation. The disagreeable sounds that are heard in other microphones have been avoided, and



Figs. 1 and 2.—LUEDTGE'S TELEPHONE.

words spoken into the transmitter are reproduced so clearly and so loud that it can be heard best a short distance from the receiver, which is an ordinary Bell telephone. With it a healthy ear might be injured. If, however, persons that do not hear well place the receiver near the ear they are able to hear much better than with other similar instruments.

Words have been plainly transmitted by this apparatus

through a distance of 186 miles. A special signal is not necessary. If a Bell telephone and a Luedtge microphone are brought in connection, a clear, deep, and impressive tone, somewhat like the tone of a fog horn, which can be heard for quite a distance, is perceived at the transmitting as well as at the receiving station.

The essential part of the instrument is the connection between the two electric conducting bodies, *a* and *b*, Fig. 1 (pre-




Fig. 3.—LUEDTGE'S TELEPHONE.

ferably of iron, platina, or carbon). One of the pieces, *b*, is level at the contact surface, but the other, *a*, is rounded. The electric current passes through this contact, and the variations in the electrical resistance at this point, while speaking, cause the vibrations of the membrane in the receiving telephone.

A peculiarity of Luedtge's construction is that both of the contact pieces are united to a support fastened to the middle of the membrane, *M*, so that both vibrate with the membrane. The contact piece, *a*, rests in a rectangular brass frame, *A*. The contact piece, *b*, is supported in a similar manner by the frame, *B*. The two frames, *A* and *B*, are connected to each other by means of the strips of caoutchouc, *p* and *q*. Caoutchouc is a poor conductor of tone vibrations. The tone vibrations transmitted to the membrane, *M*, are received by the contact piece, *a*, unimpeded and with their entire power, but to affect the contact piece, *b*, they must pass the rubber strips, *p* and *q*. By this contrivance their intensity is materially decreased or modified, and there is a difference in the vibrations of *a* and *b*.

The small screws, *v* and *w*, serve to regulate the compression of the caoutchouc strips, *p* and *q*.

Fig. 2 is a transverse section of the complete apparatus. *S* is the tone receiver, *M* a wooden diaphragm, *F* the casing of the same, *Z Z* pivots for hanging the apparatus in bearings. *A* and *B* are the contact frames; *R* is a screw for partially regulating the contact by moving one of the contact pieces; *k* and *l* screws for fastening the wires; *B* is the battery; *T* the receiving telephone; and *N* a resistance coil.

To adjust the apparatus very carefully it is turned on its horizontal axis. The susceptibility of the apparatus is so great that the small change on the pressure that *B* produces on *A* in turning the apparatus is sufficient to regulate the contact.—*Deutsche Industrie Zeitung*.

A Gopher Trap Wanted.

The California ground squirrel, commonly known as the gopher, is a most industrious and audacious forager, and though he seems very innocent, is a veritable pest. He consumes an inordinate quantity of grain, and does a vast amount of mischief to gardens and orchards. He and high farming are declared to be absolutely incompatible, and the Golden State is greatly concerned as to the best manner of exterminating him. Poison has been tried, and has proved effective on many squirrels; but they are so cunning that they refuse to swallow it after one season, unless it be offered in a new form. Strychnine, arsenic, and phosphorus have been tried, and now other mortal agents must be adopted to get rid of the aggressive rodents. It is estimated that their damage to the wheat crop alone was last season nearly \$1,000,000, and to gardens and orchards fully \$500,000 more.

Here would seem to be a good chance for some clever inventor to make a good thing for himself and a better for the State. A wide-awake California boy, after proper study of "gopher" habits, ought to be able to outwit the little pests. A successful gopher trap would be worth a small gold mine.

Destruction of Passaic Fish.

For some weeks a fatal disease has prevailed among the fish of the Passaic river (N. J.) and its tributaries. The trouble was at once charged to poisonous dyes discharged into the stream from silk-factories. The fish warden of Passaic county is of a different opinion, attributing the fatality to certain poisonous vegetable matter which had grown with unusual luxuriance during the late heated spell. This happened at an unusual season, just after the fish had been spawning, and when they had not strength to withstand the injurious effect of the water. The disease is described as a fungous growth on the surface of the fish, beginning at the tail and causing the scales to decay and become loose. In eight or ten days the trouble reached the head, and the fish died. Suckers were first attacked, then catfish, roach, chub, sunfish, perch, and pickerel. Persons eating the fish were attacked with cramps and purging. Fish Warden Roe does not think the sewage has anything to do with the disease. The epidemic is about over in the Passaic River, but is extending to the tributary streams and lakes.

HYDRIODIC ACID.

Dr. W. Gill Wylie, of this city, calls attention in the *Medical Record* to the value of hydriodic acid as a therapeutic agent in certain cases where the use of potassium iodide is indicated, but where the continued use of the latter would irritate the stomach and seriously interfere with digestion. Hydriodic acid, which is not even mentioned in the text books on therapeutics, is prepared by mixing say 60 grains of potassium iodide with 90 grains of tartaric acid, dissolving in water, and adding sufficient heavy sirup to make four fluid ounces. The object of the sirup is to prevent a decomposition whereby the iodine would be set free. The case that first suggested this remedy was one of asthma of long standing. On trial it was found that one teaspoonful of the above mixture had as much influence on the bronchial surfaces as twenty grains of potassium iodide, and produced no bad effect whatever on the stomach. The author states that for the past six years he has had uniformly good results in the use of hydriodic acid in bronchitis, and in chronic or subacute catarrhal diseases. He has found that it acts as an irritant and does more harm than good, however, in acute febrile stages. He has also used it in chronic malarial poisoning, and in Grave's disease, and recommends its use in place of iodine in goiter and adipose tumors. In a case of the latter he found that it relieved the dull pain about the tumor and slightly reduced the bodily weight of the patient, who was very fleshy. In the use of the new remedy Dr. Wylie says that he has seldom found it necessary to increase the usual dose to obtain the desired effect.

PNEUMATIC CLOCK.

The pneumatic clocks that were exhibited in the Austrian and American sections of the Paris Universal Exhibition of 1878, were described by us not long since. We give herewith an engraving, which we take from *La Nature*, of a form of pneumatic clock that has been in use for some time in France. It is a large town clock, something like the one which has been in use at Notre Dame since 1867.

The transmission of time by the compressed air and vacuum is effected by means of a piston that moves freely in a pump barrel. The piston is of considerable length and is air-packed, so that little or no air escapes around it.

Every minute, or every half minute, the clock elevates the piston, creating an air pressure in the pneumatic tube, which operates the hands of a distant clock. The piston is allowed to descend after each upward stroke, producing a vacuum, which returns the parts to their original position preparatory to another forward movement of the hands as the piston again descends.

Active Volcanoes in Java.

The latest accounts from Singapore state that the volcanoes in both the eastern and western districts of Java are in full activity. A broad river of fiery lava was flowing from the crater of Smeru down to the southern coast, illuminating all the neighborhood at night with its ruddy light. The Gedeh mountain was ejecting an enormous amount of cinders, which were completely covering all the surrounding district.

A Toy City.

A notable example of patient, long-continued, ingenious, but utterly useless labor, is described by a correspondent of the *Amherst (Mass.) Transcript* as on exhibition in Boston. It is the work of a German-American cabinetmaker, Joseph Bergmann, who has been engaged upon it for seventeen years. It represents a city, built in the Swiss style, with mansard roofs, bay windows, and a series of balconies with verandas, etc. The structure stands on a base, representing a hillside, a ledge of rocks with underground railways, etc. There are sixty-five automatic workmen, at work in the mills and about the village, as natural as life. The motive power of the mills is furnished by two overshot water wheels, the lower one taking the waste water and running at right angles with the upper one. The remainder of the machinery, as well as the automatic workmen, is run by weights. The city, or village, is surrounded by trees and

shrubby, drives and walks, a playing fountain, a running stream, a miniature lake, and all that goes to make up the picturesque in nature. The basement of the principal building is occupied by a linseed oil stamp mill in full operation, with three workmen. On either side is a tunnel through which trains of cars pass. At the rear of the building is a blacksmith's shop; the bellows are blowing, the fire on the forge glows, and two blacksmiths are busily engaged in alternately heating a bar of iron and pounding it on the anvil, the strokes of their hammers being distinctly audible. A third is shoeing a horse, the proprietor is at work, and the wife of the last is just entering, bearing her husband's dinner. The third story is occupied by a grist mill, the smut mill being below, both in full operation. One man is dressing the stone for the hopper, while a second supplies the hopper with grain from a neighboring room; the latter empties his measure from his shoulder, returns it in a natural manner, and passes in and out at the door, closing it after him each time. An elevator ascends on the outside from the basement with a load of grain, dumps it, and descends again to be refilled. Just below the elevator the millwright goes up and down on a ladder. Under an oak tree's kindly shade, near the banks of a murmuring stream, sit two lovers, who, by their motions and gestures, would appear to be carrying on an animated conversation. To the right center of the building is a sawmill. The log is propelled on the carriage, the upright saw passes through it slowly, it is then giggered back, the man at the end sets the log for a new cut, and a fellow workman opens the flume gate, restarting the machinery. A third man is engaged sharpening a hand-spike with an ax. The fifth and top floor of the edifice is supposed to be the residence of the proprietor. The windows are sashed, the doors paneled, and the floor made of

characteristic of all anthracite coal. There are three veins of the coal, one of which is seven feet thick, another two and one half feet, and the third of unknown thickness, while there are indications of a seam lying beneath the seven foot vein—the one now worked—of the same or greater thickness. Outcroppings of the veins are traced for many miles. The analysis of this coal as compared with the average grade of Pennsylvania anthracite is as follows:

	Sonora Coal.	Pennsylvania Coal.
Fixed carbon.....	94 to 96 per ct.	85 per ct. (about).
Ash.....	3 to 4 do.	10 do.
Moisture.....	1 to 2 do.	4 to 5 do.
Sulphur.....	0.0 do.	a trace.
Bitumen.....	0.0 do.	a trace.
Specific gravity.....	1.77	1.50

The dip of the discovery is 26° toward the opening, rendering the mine easy of drainage and cheaply worked. The length of the branch from the main line at Noria del Valle (32 miles from Guaymas) necessary to reach the mine is 98 miles. It is estimated that after the construction of the road the coal may be marketed in San Francisco and South American ports at \$8 to \$9 per ton.

Medical Photography.


At a recent meeting of the Photo Section of the American Institute, in this city, Mr. Mason exhibited to the Section some photographs of subjects taken at his studio in Bellevue Hospital. In his remarks he said:

I do not exhibit these prints as specimens of fine photographic work, but as curiosities of disease and how photography is used to illustrate disease. Some of them show the patient both before and after treatment. Such subjects are not very easy to keep still a long time, because most of them are in pain. Something more than ten years ago I was requested by several members of the surgical staff to illustrate the diseases treated at the hospital, and, after considering the matter some months, finally accepted the proposition, and was appointed the official photographer for the department. There were at that time only three surgeons on the staff who seemed to have an idea that photography could be made useful, or, rather, that it might prove an important adjunct to their work. These three had their most important cases photographed when they were received, and after an operation or when they were discharged. After two or three years other members of the staff, seeing the importance of the work, slowly came in for their share, until at the present day the men who first took little or no interest in the introduction of photography patronize it the most extensively. I made for some of these surgeons a large number of prints of important cases, of which some are sent to Europe to illustrate the processes used in the treatment of diseases in New York. I make three copies, which I furnish free—one to the visiting surgeon in attendance, another to the house surgeon who has charge of the case, and another print I mount in the books of the hospital. Other prints are made on the

surgeons' private orders at little more than cost price. When you refer to the hospital books provided for the last few years, you can find the most important surgical cases not only fully described but illustrated. Many observers have thus been able to avoid mistakes and errors which have been brought to their notice through the means of photography. Thus we see that the surgeons and histologists, like most other scientific men, are more or less dependent on photography in recording for others what they are doing.

Unshod Horses.

It has been before stated that an experienced farrier in England was advocating the abolishment of horseshoeing, and now a writer in the *London Times* has been trying the experiment, and thus reports: "When my pony's shoes were worn out I had them removed, and gave him a month's rest at grass, with an occasional drive of a mile or two on the high-road while his hoofs were hardening. The result at first seemed doubtful. The hoof was a thin shell, and kept chipping away until it had worked down beyond the holes of the nails by which the shoes had been fastened. After this the hoof grew thick and hard, quite unlike what it had been be-



COLLEN'S PNEUMATIC CLOCK.

matched boards not over an eighth of an inch wide. Paintings, with gilt frames, and lace curtains adorn the apartment, which is complete in all the details belonging to a drawing room. A similar exhibition in Brooklyn recently gave no evidence of the skillful labor attributed to Bergmann's work, as described above. Whether it was the same or not, we do not know.

Anthracite Coal in Mexico.

According to the *San Francisco Mining and Scientific Press* Sonora possesses a vast field of anthracite coal—the only anthracite yet discovered on the Pacific coast. It is said to belong to a very old geological formation, probably Silurian or Devonian. The only outcrop which is at present worked lies about 120 miles northeast of Guaymas, and a branch line of the Sonora railway is contemplated to develop it. The mine is a few miles north of the flourishing mining towns of La Barranca and Los Bronces, each supporting some 2,000 inhabitants. The coal has been used for two years for steam purposes at the Barranca quartz mill, it containing less ash and leaving no clinkers on the grate. It burns with the short blue flame of carbonic oxide, which is

fore. I now put the pony to full work, and he stands it well. He is more sure-footed; his tread is almost noiseless; his hoofs are in no danger from the rough hand of the farrier; and the change altogether has been a clear gain, without anything to set against it. My pony, I may add, was between four and five years old—rising four, I fancy, is the correct phrase. He had been regularly shod up to the present year."

RECENT MECHANICAL INVENTIONS.

An improved hand stamp for canceling postage stamps, and printing, dating, and marking generally, has been patented by Mr. Wm. J. Blackwell, of Waynesborough, Va. The press has a cam shaft which moves the stamping devices, and a sliding plate, in such a way that when the plate is moved back to uncover the ink pads the canceling stamps are forced down upon the pads.

An improved brake for wagons has been patented by Mr. William de Ray, of Murray, Ky. It is constructed so that it will be applied by the team in holding back, and will be taken off as the team draws forward. It is provided with means for locking it in either position.

Mr. John H. Jenner, of Leavenworth, Ind., has patented an improved brake lever for wagons. It consists of two levers, the principal one fulcrumed to the wagon body or frame, and the other pivoted to it and connected with the brake rod. The slack motion is taken up by the second lever, and the brake is applied by the principal lever.

An improvement in magazine firearms has been patented by Mr. Peder Bergersan, of Cheyenne, Wyoming Ter. The breech mechanism is opened and closed by means of a lever hung on a pin that passes through ears projecting from the underside of the trigger plate. The firing bolt or hammer is straight and is operated by a spiral spring. The gun may be used as a magazine gun or as a single breech loading rifle.

An improved machine for flinching, grooving, and beveling barrel staves when set up in barrel form, has been patented by Mr. Thomas McKeever, of Pittsburg, Pa. It consists in a hollow cutter head carrying the grooving and crozing knives, and in peculiar mechanism for holding the barrel while being grooved and crozed.

Mr. C. Sullivan, of Three Rivers, Mass., has patented an improved spooling guide, which consists of a flanged and slotted head in which is a slotted plate held in a horizontal position by set screws. From this plate rises the guide, which is composed of two crescent shaped arms turned in opposite directions; with this device the yarn can be fed very evenly.

Mr. Wilson N. Fort, of Lewisville, Ark., has patented an improved rotary engine, which consists in a peculiar arrangement of a double rock valve, and hollow inlet and outlet valves, the whole being arranged with a view to simplicity and durability.

Messrs. John E. Duncan and Alanson B. Alden, of Bos-cobel, Wis., have patented a permutation lock, in which the combination is set by the act of locking, and in unlocking the parts are readjusted, so that the combination is not set while the lock is unlocked.

An improved hair trigger for firearms, which is complete in itself and may be applied to any kind of firearm without change in its construction, has been patented by Mr. Emil A. F. Toepperwein, of Boerne, Texas.

Messrs. N. B. Gunn and A. D. Mendenhall, of Elwood, Ind., have patented an improved apple corer and cutter, in which the tube and its radial knives are detachably secured to the slotted sliding board, so that the machine may be readily taken apart for cleaning.

An improvement in gun locks, patented by Mr. Thomas Duncan, of West New Annan, Nova Scotia, consists in a stop pivoted under the end of the mainspring close to the swivel and controlled by the trigger and a spring.

Mr. F. H. Puren-ton, of Brunswick, Me., has invented an improved sectional steam boiler, having a lower section or water chamber surrounding the fire chamber, and connected with an upper section by means of inclined pipes, the said upper section being provided with curved flues that communicate with the smoke stack.


Spontaneous Combustion.

The St. Louis *Republican* gives this account of the origin of a recent mysterious fire in that city: A well authenticated case of spontaneous combustion occurred recently in the suburbs of Oak Hill, the residence of Mr. Edward Mead,

the jeweler, furnishing the sensation. The circumstances of the fire were, fortunately, such as to leave no doubt regarding its cause, and these circumstances are especially interesting in a city where fires of a mysterious origin have been remarkably frequent. The fire proved to be the result of spontaneous combustion, and from a cause which has been the one usually credited with effects of the kind. Some of the floors in Mr. Mead's house had lately received a thorough coating of colored varnish, and, in the polishing, hemp cloths (squares cut from sacks) had been used. One of these sacks, saturated with the varnish, had been put in the basket for further use. It had of itself smoldered, and finally produced the fire. The case is a curious one, and of value from the knowledge it affords of a dangerous combination.

A NOVEL ROTARY PUMP.

Ortman's rotary pump, which is shown in the accompanying engravings, is made by Messrs. Van Goethen &



ORTMAN'S ROTARY PUMP.


Reallier, of Brussels. It may be used either as a pump, a hydraulic motor, or an air compressor.

An undulated disk is fitted accurately to the pump casing, and in a transverse chamber, which intersects the cylinder, there is a slide, which is slotted to receive the edge of the undulated disk. At opposite sides of the slide there are openings in the casing for the ingress and egress of water. The slide acts as the abutment, and the undulated disk as the piston.

A pump of this kind, having a 39 inch disk, will deliver nearly 18 gallons per revolution and may be driven at the rate of 150 revolutions per minute.—*Cronique Industrielle*.

Glue.

Carpenters should remember that fresh glue dries much more readily than that which has been once or twice melted. Dry glue steeped in cold water absorbs different quantities of water according to the quality of the glue, while the proportion of the water so absorbed may be used as a test of the



ORTMAN'S ROTARY PUMP.—VERTICAL SECTIONS.

quality of the glue. From careful experiments with dry glue immersed for twenty-four hours in water at 60° Fab., and thereby transformed into a jelly, it was found that the finest ordinary glue, or that made from white bones, absorbs twelve times its weight of water in twenty-four hours; from dark bones, the glue absorbs nine times its weight of water; while the ordinary glue, made from animal refuse, absorbs but three to five times its weight of water.—*Building News*.

Carriage Pigeons.

The carrier-pigeon service is now in full operation in France. The number of birds fed by the government is 6,000. These pigeons are located in Paris and twelve other large fortified towns. A number of soldiers and officers

have been taught the art of pigeon breeding, and carriers are constantly sent from place to place. The Minister of Public Instruction and the Minister of Agriculture have established prizes for pigeon races.

Splitting Paper.

It is one of the most remarkable properties of that wonderful product, paper, that it can be split into two or even three parts, however thin the sheet. We have seen a leaf of the *Illustrated News* thus divided into three parts, or three thin leaves. One consisted of the surface on which the engravings are printed; another was the side containing the letter press, and a perfectly blank piece on each side was the paper that lay between. Many people who have not seen this done might think it impossible; yet it is not only possible, but extremely easy, as we shall show.

Get a piece of plate glass and place on it a sheet of paper; then let the latter be thoroughly soaked. With care and a little dexterity the sheet can be split by the top surface being removed. But the best plan is to paste a piece of cloth or strong paper to each side of the sheet to be split. When dry, violently and without hesitation pull the two pieces asunder, when part of the sheet will be found to have adhered to one and part to the other. Soften the paste in water and the pieces can be easily removed from the cloth.

The process is generally demonstrated as a matter of curiosity, yet it can be utilized in various ways. If we want to paste in a scrap-book a newspaper article printed on both sides of the paper, and possess only one copy, it is very convenient to know how to detach the one side from the other. The paper, when split, as may be imagined, is more transparent than it was before being subjected to the operation, and the printing ink is somewhat duller; otherwise the two pieces present the appearance of the original if again brought together.

Some time ago the information of how to do this splitting was advertised to be sold for a considerable sum. We now impart it to all our readers gratuitously.—*B. and O. Printer and Stationer*.

Sir Henry Bessemer.

Mr. Henry Bessemer, of Denmark-hill, Camberwell, on whom her Majesty has been graciously pleased to confer the honor of knighthood, in recognition of his services in the manufacture of malleable iron and steel, and in numerous other inventions, is a son of the late Mr. Anthony Bessemer, of Old Broad street, London, and subsequently of Charlton, Hertfordshire, where he was born on the 19th of January, 1813. He was, to a very great extent, self-taught, and at twenty years of age exhibited a design at the Royal Academy, then located at Somerset House. He first attracted the attention of Lord Althorp, then Chancellor of the Exchequer, by an ingenious contrivance which he made for preventing frauds which were carried on upon a large scale by the transference of stamps from old documents to new ones; but, though the saving to the public purse was estimated at nearly £400,000 a year, he never received any remuneration for his ingenuity. In 1856 he read before the British Association, at Cheltenham, his first paper on the manufacture of malleable iron and steel, which has given him a world-wide name—literally so, for the Americans have christened after him a thriving new town on the Cincinnati Railway, and "Bessemer metal" has become current in most of the languages of civilized communities. Mr. Bessemer's great inventions have been recognized both at home and abroad, for the Emperor of Austria conferred on him the rank of a Knight Commander of the Order of Francis Joseph, and the late Emperor of the French offered to his acceptance the Grand Cross of the Legion of Honor, in consequence of a report from the

jurors of the Universal Exhibition of 1867 that his invention was of exceptional merit. He has also been the recipient of the Albert Gold Medal, presented to him by the hand of the Prince of Wales. It is stated by Blanch, in his "History of Camberwell," that in the course of his various experiments, Mr. Bessemer has taken out more than one hundred patents, and has paid to the Crown as much as £10,000 for stamps alone.

A PLAGUE of locusts fell upon the province of Caucasus, Russia, during April. Vineyards and fruit gardens were utterly destroyed. The water courses were choked by the swarming pests, and the village streets were so blocked by them that the shops were shut and all traffic suspended.

Self-Defense among Plants.

One of the means of self-defense among plants, says Dr. Francis Darwin, in a recent lecture, is the presence of poisonous alkaloids. Thus ruminants will not eat such plants as nightshade (*belladonna*), monkshood (*aconite*), hellebore, thorn apple (*stramonium*), peony, veratrum, and hemlock (*conium*). Many plants are protected by their poisonous milky juices, as the spurge (*euphorbia*), poppy, celandine, and others. In the *strychnos nux vomica*, the poisonous alkaloid strychnia is contained in the seeds, its whole object being to prevent them and the young plants contained in them from being injured, the fleshy parts of the fruit being quite harmless and eaten by the natives. This eatable part surrounding the seeds entices birds to swallow them, that they may be distributed after and by passing through the animals' bodies. Bitter almonds are comparatively safe from the attacks of mice, whereas sweet almonds are much injured by them. In addition to an almost endless series of poisonous plants, there are those which contain essential oils having a pungent aromatic odor or taste. Thus the fennel, anise, caraway, and others have otherwise unprotected seeds, which are safe from the attack of birds on this account. In Brazil the lime alone of all the orange tribe is distasteful to the leaf-cutting ants, probably owing to an oil similar to that which gives the strong taste and odor to orange peel; and this fact has decided the fate of the tree, for it is the only species of the tribe which has been able to establish itself beyond the limit of cultivation, the orange, citron, etc., growing only where protected by man. Turpentine in fir leaves serves as a protection against cattle. The aromatic flavor of mint is a defense against browsing animals, and as it is frequented by a large number of insects it affords an analogy to the nettles and thorns, which are resorted to by butterflies and birds to rear their young. Flowers are usually more acrid than the plants which bear them, and are thus protected from destruction by browsing animals and other foes, by being uneatable. Caterpillars will die of hunger rather than eat the flowers of the plants whose leaves form their natural food.

Crickets Stop a Train.

One cricket would stand a poor show trying to stop a railroad train, but millions of them can do it. The western bound railroad train, No. 6, met an army of crickets at Clarke's Station, about 15 miles west of Reno, says the *Gazette*, and was detained two hours and a half trying to get through. To make the passage the train men were finally forced to take brooms and sweep the insects off the rails. The crickets covered the track for about three miles, and when the driving wheels of the engine would strike them they would whirl around without going forward an inch.

THE ELEPHANT SHREW.

Several species of elephant shrews are known to exist, all of which, with one exception, are inhabitants of Southern Africa. The solitary exception, *Macroscelides Roretii*, is found in Algeria.

The peculiarly long nose of the elephant shrew is perforated at its extremity by the nostrils, which are rather obliquely placed, and is supposed to aid the animal in its search after the insects and other creatures on which it feeds. The eyes are rather large in proportion to the size of the animal.

The tail is long and slender, much resembling the same organ in the common mouse, and in some specimens, probably males, is furnished at the base with glandular follicles, or little sacs. The legs are nearly of equal size, but the hinder limbs are much longer than the fore legs, on account of the very great length of the feet, which are capable of affording support to the creature as it sits in an upright position. As might be presumed from the great length of the hinder limbs, the elephant shrew is possessed of great locomotive powers, and when alarmed can skim over the ground with such celerity that its form becomes quite obscured by the rapidity of its movement through the air. Its food consists of insects, which it captures in open day.

Although the elephant shrew is a diurnal animal, seeking its prey in broad daylight, its habitation is made below the surface of the ground, and consists of a deep and tortuous burrow, the entrance to which is a perpendicularly sunk shaft of some little depth. To this place of refuge the creature always flies when alarmed, and as it is so exceedingly swift in its movements, it is not readily captured or intercepted.

The color of the fur is a dark and rather cloudy brown, which is warmed with a reddish tinge upon the sides and flanks, and fades on the abdomen and inner portions of the limbs into a grayish-white. The generic name, *Macroscelides*, is of Greek origin, in allusion to the great length of its hinder limbs, and signifies "long legged." It is but a small animal, as the length of the head and body is not quite four inches in measurement, and the tail is about three inches and a quarter.

THE THICK-THIGHED WALKING STICK.

BY PROF. C. V. RILEY.

During the past few years the forests in parts of New York have been very seriously injured by the insect here-with treated of, and which has hitherto been considered quite harmless by writers on entomology. An account of it will appear in my forthcoming report to the Department of Agriculture, from which I condense some facts in advance. Owing to its curious, slender, long-legged, slow-moving characteristics it has been popularly dubbed the "Walking

THE THICK-THIGHED WALKING STICK.—(*Diaperomera femorata*, Say.)

a, eggs, ventral view; b, do., side view, enlarged; c, do., in various positions, showing young hatching; d, d, male, back and side views; e, female, side view—natural size (after Riley).

Stick," "Stick Bug," "Specter," while in some localities it is known as "Prairie Alligator," "Devil Horse," and other odd cognomens, generally indicative of its appearance, and of a superstition which is quite prevalent, but most unfounded, that it is poisonous and can sting or bite.

The popular name above employed will serve to distinguish it from another tolerably common species, the two-striped walking stick (*Anisomorpha buprestoides*, Stoll).

ELEPHANT SHREW.—(*Macroscelides Probooscens*.)

The colors of the adult are quite variable, and are generally obliterated in cabinet specimens; shades of gray, brown, and greenish brown predominate, the head of the male being pale and having three longitudinal fuscous stripes, and the middle thighs having annulate shades of the same color. The front legs of the male and the shanks of the others are almost always green. The colors of the female are more uniform, generally grayish, with paler specks and mottlings on the head and along the back; but occasionally pale green predominates. Structurally the male is at once distinguished by his shorter, more slender body; his longer legs and feel-

ers; his narrower and less dilated front thighs; his swollen middle thighs, and by the greater stoutness of the spines near the ends of the middle and hind thighs, these and the other distinguishing sexual characters being less obvious in the earlier stages of growth.

As already stated, this insect has until within a few years always been considered harmless. In 1872, however, while lecturing at Cornell University, I noticed that it was unusually abundant around Ithaca, and it was there reported as doing considerable injury to rose bushes; and the following letters from correspondents will show how very destructive the species may become:

"Inclosed find specimens, male and female, of an insect which is proving to be a scourge. About the middle of June I discovered, mostly on standing grass, this same insect, only very much smaller, of a light pea-green color, but not in sufficient numbers to be thought of as a pest. I noticed about August 15th, in the reservation of young timber, mostly white oak and hickory, a few trees having the appearance of being burned just enough to kill the leaves. On closer investigation I found many of these insects devouring the leaves. Later I judged at least 25 acres were completely stripped of foliage, as much so as if fire had run through the wood and killed every tree. They seemed to have no choice as to what variety of timber they attacked. There were many in my peach orchard and lawn. On single trees far removed from my timber lot they were as thick as could well be, in many places in heaps. Fences adjoining the timber were fairly covered with them. They have been known for years in this vicinity, but were heretofore always considered harmless. From present appearances they are greatly to be feared as a scourge, consequently anything relating to them will be read with great interest. I hear from them in Florida, but not in such numbers as here."—G. C. Snow, Yates Co., N. Y., in *New York Weekly Tribune*, Nov. 11, 1874.

"About forty years ago my father set out a grove of locust trees for fencing purposes at the foot of a rocky wooded hill. The trees thrived, and for years have furnished the farm with posts and stakes. When they were young we began to notice on them, now and then, the insects known as 'Walking Sticks,' and some fifteen years ago they began to increase rapidly, appearing in summer on the locusts, to which at first they seemed to confine themselves, entirely stripping them of their leaves, and have done so every second year since.

"The locusts have nearly all succumbed to the repeated attacks of the repulsive looking pests, which have for some time extended their operations to the adjoining native trees, most kinds of which they feed upon ravenously.

"I have never by observation been able to discover when or where the eggs are deposited, nor can I find more than a description of the insect in any book within my reach. Will you throw a little light on the subject, and can you suggest any method of destroying these pestiferous walking sticks?"—R. E. R., Ferrisburg, Vt., in *Rural New Yorker*, November 7, 1874.

"In June last we gave an account of a remarkable visitation of myriads of the insect known as the walking stick (*Spectrum formosum*) in Yates County, N. Y., and asked for information as to the appearance elsewhere. The following, from Mr. E. H. Conklin, Cumberland County, Pa., is the first response, which we hope may call out others. Mr. C. says: 'This insect, though not at all common and seldom numerous, has made its annual appearance in our peach orchards for forty years, and only once in this time have they been so numerous as to be injurious. In this instance, which was about ten years ago, these insects denuded a row of locust trees that formed a shelter on the northwest side of a peach orchard. For half a dozen rods from this locust row the peach trees were also stripped of their leaves. Previous to this time we never saw them on any other tree except the peach. As to color, some are light green and others brown, amongst male and female. The female has a much heavier body than the male.'"
—*American Agriculturist*, August, 1877.

A further account of great injury to oak timber by this insect on Mr. Snow's farm was given in the *American Agriculturist* for June, 1877, and when applications were made through the editor of said journal for more definite information and for some practical recommendation, so little was any one able to comply with such a request, I deemed the matter of sufficient interest and importance to warrant further investigation. A couple of visits to Esperance farm enabled me to clear up the insect's natural history, and suggested, as the sequel will show, a simple and feasible means of preventing its injuries. Mr. Snow has about 50 acres of

woodland, consisting of fine young trees, mostly the second growth of hickory and of different species of oak. In 1874 the trees on about 25 acres were totally defoliated. In 1875 the insects appeared in fewer numbers. In 1876 they were even more numerous than in 1874, and covered a large area. In 1877 again they attracted less attention, while last summer I found that Mr. Snow's accounts were by no means exaggerated. By the middle of August the bulk of the pests were going through their last moult, and by the end of autumn they had stripped most of the trees, showing, however, a decided preference for the black, red, and rock chestnut oaks, to the white oaks and hickories, which they affect but little till after the first mentioned trees are stripped. The underbrush was also very effectually cleaned of its foliage, and the insects hung from and clung to the bare twigs and branches in great clusters. They settle freely to roost

on the witch-hazel, but do not defoliate it until the other trees mentioned are pretty bare. Sumac and thorn are also little affected, while peach and apple, in an adjoining orchard, were untouched. Whenever they have entirely stripped the trees and shrubs they move in bodies to fresh pastures, crowding upon one another and covering the ground, the fence rails, and everything about them, so that it is impossible for a person to enter the woods without being covered by them. The timber affected can be recognized by its scared and leafless appearance from a great distance, and upon entering the woods the ear is greeted by a peculiar

seething noise, resulting from the motion of the innumerable jaws at work on the leaves. Their depredations first begin to attract attention soon after wheat harvest, and are most noticeable in September. The injury to the trees done in 1874 and 1876 was manifest in the death of most of the black oaks, and, according to Mr. Snow's observations, trees die in three years after the first attack.

The unexampled multiplication and destructiveness of this insect at Esperance farm is but one of the many illustrations of the fact long since patent to all close students of economic entomology, that species normally harmless may suddenly become very injurious.

The winter habits of the species have not before been published. The eggs, which were first briefly described by me in 1874,* are 2.8 mm. long, oval in shape, slightly compressed at the sides, and of a polished black color, with a ventral whitish stripe. They look not unlike some plump diminutive leguminose seed. They are simply dropped loosely upon the ground from whatever height the females may happen to be, and, during the latter part of autumn, when the insects are common, one hears a constant pattering, not unlike drops of rain, that results from the abundant dropping of these eggs, which in places lie so thick among and under the dead leaves that they may be scraped up in great quantities.

From general observation of specimens kept in confinement it would appear that each female is capable of laying upward of a hundred. The eggs remain on the ground all through the winter, and hatch for the most part during the month of May. Some of them, however, continue hatching much later, so that all through the summer, and even into the fall, young individuals appear. The young walking sticks measure at birth 4.5 mm., and with their feelers and legs outstretched nearly double that length. They are invariably, during early life, of a uniform pale yellowish green color, and as they have a habit in their earlier days of keeping near the ground, this, coupled with a great readiness to drop whenever disturbed, serves to protect them from observation. They may for these reasons occur in great numbers in the early part of the season without being suspected. The exact number of moults that the insect passes through has not been carefully studied, but it changes very little in appearance from birth to maturity, except so far as color is concerned. With age the green color gives way to various shades of gray and brown. In this way we find great correspondence with its surroundings. While the vegetation is green the specters are green also. When the foliage turns in autumn they change color correspondingly, and when the foliage is stripped they so closely resemble, in both appearance and color, the twigs upon which they rest—the habit of stretching out the front legs and feelers greatly enhancing the resemblance—that when they are few in numbers it is difficult to recognize them. A few green specimens, more particularly of the males, may always be found, even among the mature individuals.

In contemplating these singular creatures and their wonderful resemblances to the oak vegetation upon which they occur, one cannot help noticing still further resemblances. They are born with the bursting of the buds in the spring; they drop their eggs as the trees drop their seeds, and they commence to fall and perish with the leaves, the later ones persisting, like the last leaves, till the frost cuts them off.

As will have been already noticed, Mr. Snow has found from his own observations that the insects were injuriously abundant every other year, and I have been interested in endeavoring to find an explanation of this fact. The increase of the insect's natural enemies whenever they become excessively abundant, and the consequent decrease of the plant feeder the following year, undoubtedly have something to do with it; but there is also good evidence that a great many of the eggs remain on the ground for two consecutive winters before hatching. Messrs. T. W. Bringham and L. Trouvelot have both found from experience that the eggs of this insect for the most part hatch only after the interval of two years,† and an examination made of a large number which I have myself kept the present winter shows that while some have proceeded far into embryonic development, others show no development whatever, thus corroborating the experience of these gentlemen.

We may very justly conclude, therefore, that the species will only be injurious every alternate year.

While the specters are young they may be destroyed by sprinkling the underbrush in the timber with Paris green water whenever the timber is inclosed, so that domestic animals can be kept away from the poisoned vegetation.

The most satisfactory means of averting the insect's injuries, however, will be found in the destruction of the eggs during winter. This may be done either by digging and turning them under, or by burning over the dead leaves among which they lie.

Ichneumon Flies.

It is an interesting fact that not a single Ichneumon fly is known to attack our locust, nor has one ever been found to attack any of the different locusts or grasshoppers that occur in the country. We have sought diligently for evidence of the occurrence in locusts of any of these essentially parasitic insects. By Ichneumon flies we intend not those of the genus *Ichneumon* alone, but any belonging to the great family *Ichneumonidae*. They are known to attack plant-feeding

species of all orders except the half winged bugs (*Heteroptera*) and the straight winged insects (*Orthoptera*), to which last the locust belongs. Westwood, St. Fargeau, Brullé, and other authors who have paid especial attention to these Ichneumon flies, all concur in excepting the orthoptera from their attacks.

Von Motschulsky speaks of having found a species (*Proc. totropes brevipennis*, Latr.) of an allied family near Italian locusts, and infers, without proof whatever, its possible parasitism thereon; but of the latest and most reliable European authorities—Gerstaecker and Köppen—the former states explicitly that no Ichneumon is known to attack the European locust; while the latter knows of none, and refers only to rumors of the occurrence of bee-like insects that sting the locust, and which rumors doubtless have reference to digger-wasps or tachina flies. Again, Mr. Thomas Bath,* in treating of the injuries of locusts in Australia, one species of which (given as *Ordipoda musica*, Fabr.) in size and general appearance is not unlike our *Spretus*, figures an Ichneumon fly (given as *Bracon capitata*) stinging a locust, and certain maggots, supposed to be the larvae of the same, taken from a locust. But the former is imaginary, unreal, and evidently not from actual observation, while the latter are the larvae not of an Ichneumon, but of some dipterous (doubtless *Tachina*) fly.

Coming to our own country: Mr. Brous, in 1876, sent us two Ichneumons—a *Campoplex* and *Ephialtes notanda*, Cresson—noticed flying about locusts, but without evidence of their stinging these; and Prof. Aughey has sent us a female *Lampronota brunnea*, Cresson, which he believes to have bred from winged specimens of *Spretus* in August, 1874. But his notes lack in absolute certainty, and he himself, on that account, refrained from referring to the supposed fact; while the long ovipositor and well known habit of some species of the genus of preying on wood boring coleopterous larvae, to reach which the ovipositor is admirably adapted, strengthen the uncertainty and render further corroborative evidence necessary before we can say that any Ichneumon fly actually preys on the Rocky Mountain locust. Reports from farmers of Ichneumon flies attacking locusts are not uncommon, because this term is often erroneously applied to any parasite, and especially to the tachina flies and the anthomyia egg parasite, already treated of. Some writers have even sought to justify its application to this last species on the ground that the term Ichneumon means an egg feeder, unaware of the fact that it has a definite meaning in entomology, and that while originally applied by Aristotle to an Egyptian animal (*Hespestes ichneumon*, L.) that hunts for and feeds on crocodile eggs, it was also applied, both by Pliny and Aristotle, to a wasp that hunts spiders and caterpillars, for which reason Linnaeus appropriately used it to designate the parasitic family we have been considering.—*First Report U. S. Entomological Commission.*

Mount Hood Smoking.

In its issue for May 26, the *Bee*, of Portland, Oregon, says that on the previous day a cloud of smoke hung upon the south side of Mount Hood, far above the snow line and climbing almost to the summit.

"The smoke cloud changed form and movement constantly, apparently pouring out of the south side of the mountain from half to one quarter of a mile below the summit. Those who have ascended the mountain locate the site of an old crater on the southwest side, some distance below the summit. They have to cross this locality to make the ascent, and always find sulphurous fumes issuing from the crevices, and the rocks heated by internal fires.

"There is no doubt that Mount Hood at times sends forth eruptions of smoke, though such manifestations are not of frequent occurrence, or at least are not often reported. We have lived within view of the mountain for nearly thirty years, and have only once before, about fifteen years ago, seen unmistakable emission of smoke, which lasted about an hour, and came from the same part of the mountain that we observed it on May 25, and each time the fact of its being smoke was not to be doubted. Fifteen years ago the phenomenon occurred upon a winter day, when the sky was blue, without a speck of cloud to fleck it, and the smoke streamed northward from the mountain in a dense black cloud. We have seen the time when excitement was created some years ago by the rumor that Mount Hood was smoking. A crowd gathered on a high roof and observed it with glasses, but the phenomenon was caused by atmospheric conditions that drew mists and fogs from the lower gorges, and made them wreath around the summit. The difference between this light colored, enveloping mist, rising from the base of the mountain, and the black, sulphurous appearance of smoke pouring directly out of the side of it from among the snows, was evident to any practical eye. Yesterday morning the sky was clear, with a slight haze and a few light, fleecy clouds hanging above the Cascade range at intervals, but the whole base and summit of Mount Hood were clear of them, while the unmistakable wreath of sulphur smoke hung just below the very summit, remaining there for over two hours, conformed by the movement of the winds. Toward noon fleecy clouds enveloped the mountain, and for a while the difference between cloud and smoke was distinctly visible, but afterward the outlines of the snowy peak were obscured, and when they were plain again, at 2 o'clock P. M., there was no smoke to be seen."

Astronomical Notes.

OBSERVATORY OF VASSAR COLLEGE.

The computations in the following notes are by students of Vassar College. Although only approximate, they will enable the ordinary observer to find the planets.

M. M.

POSITION OF PLANETS FOR JULY, 1879.

Mercury.

On July 1 Mercury rises at 5h. 37m. A.M., and sets at 8h. 36m. P.M.

On July 31 Mercury rises at 7h. 19m. A.M., and sets at 8h. 16m. P.M.

Mercury can be seen after sunset all through the month of July. In the early part of the month it keeps nearly the path of the sun; later it should be looked for south of the point of sunset. Mercury may be seen east of the crescent moon July 20. It is at its greatest elongation east of the sun on July 27.

Venus.

Venus rises at 8h. 17m. A.M. on July 1, and sets at 10h. 5m. P.M.

On July 31 Venus rises at 8h. 49m. A.M., and sets at 9h. P.M.

On July 8 Venus passes near to the planet Uranus, but moves rapidly toward the east. Venus will be at its greatest elongation on July 16, and near the crescent moon on July 23.

Mars.

The three bright planets, Mars, Saturn, and Jupiter, can all be seen at a late hour in the evenings of July. Mars and Saturn rise nearly at the same time for several mornings in the first week of July, but Mars moves quickly eastward and northward, and separates from Saturn.

On July 1 Mars rises at 10m. after midnight, and sets at 38m. after noon.

On July 31 Mars rises at 10h. 57m. P.M., and sets at 16m. after noon of the next day.

Jupiter.

On July 1 Jupiter rises at 10h. 46m. P.M., and sets at 9h. 49m. A.M. of the next day.

Jupiter is near the moon on the 8th.

On July 31 Jupiter rises at 8h. 45m. P.M., and sets 7h. 44m. A.M. of the next day.

At this time Jupiter rises as Venus sets.

On July 31 Jupiter, Saturn, and Mars can be seen to rise before midnight. Jupiter will be known by its size and brilliancy, Saturn by its white light, and Mars by its ruddy glow.

Saturn.

On July 1 Saturn rises at 0h. 10m. A.M., and sets at 36m. after noon.

On July 31 Saturn rises at 10h. 10m. P.M., and sets at 10h. 37m. of the next day.

Saturn and Mars are in close proximity on the 1st, but Mars will be seen to move east of Saturn and northward.

Uranus.

Uranus may perhaps be found with an ordinary glass by its nearness to Venus. On July 8 Uranus has the same right ascension as Venus, but is 15 minutes of arc south of Venus. On the 9th Venus has moved eastward and toward the south, and Uranus is left west of Venus and in higher northern declination.

On July 1 Uranus sets at 10h. 18m. P.M., a few minutes after Venus.

On July 31 Uranus sets at 8h. 24m. P.M.

Neptune.

On July 1 Neptune rises at 1h. 12m. A.M., and sets at 2h. 52m. P.M.

On July 31 Neptune rises at 11h. 11m. P.M., and sets near 1h. P.M. the next day.

The Manufacture of Phosphorescent Substances.

A correspondent who resides in Paris sends us the following:

I read in the *SCIENTIFIC AMERICAN* a notice in which you mention some phosphorescent powders that you found on luminous clock dials. Having ascertained by analysis that this phosphorescent matter is nothing but sulphide of calcium, you say there must be something or other in the mode of manufacture of this substance to give it such a brilliancy as has never been obtained before.

Being in situation to know much about this subject I think it will be agreeable to you if I give you some details on this question.

The phosphorescent matter of the luminous dials is prepared in Paris; the maker is M. André, 39 Rue Lacépède. Twenty years ago, being famulus in Mr. E. Becquerel's laboratory, he was taught by him how to prepare phosphorescent sulphides, and then began to make them for the chief instrument makers in Paris.

The first products obtained had but little intensity; but gradually M. André became more and more skillful in his work, and three years ago he was able to produce the substance you have seen on the dials. Such a wonderful result was obtained only by carefully studying the mode of manufacture, and depending only on a few tricks of hand. This I can affirm, but I cannot give you the details of the manipulation, which are kept secret.

M. André does not make only the blue violet powder used for dials; this color has been chosen for that because it keeps luminous a longer time. But the results are almost as good with yellow, yellow-green, green, and orange powders.

* New York Weekly Tribune, November 11, 1874.

† Proc. Bost. Soc. Nat. Hist., Vol. XI., pp. 88 and 89.

* Notes on observations made during the late "Locust Plague;" Report of the Secretary for Agriculture, Melbourne, 1873.

Alleged Discovery of Ancient American Carvings.

The *Pioneer Press* (St. Paul, Minn.), announces the discovery of a remarkable cave on the farm of David Samuels, 10 miles from La Crosse. The cave is 30 feet long, 13 feet wide, and about 8 feet high. Above the quarry sand, which has evidently drifted in and covered the floor to the depth of three to six feet, upon the walls, are very rude carvings representing men, animals, arms, and implements, and some appear to be hieroglyphics. One picture represents men, with bows and arrows, shooting animals, three buffaloes and one rabbit. Another represents three animals, which, if large, must have been like the hippopotamus; another appears to represent a mastodon; on another picture a moose is quite plainly delineated. There are eight representations that are canoes, much carved, or hammocks, which they more resemble. One sketch of a man is very plain; the figure wears a kind of chaplet or crown, and was probably chief of his tribe or clan. There are many fragments of pictures, where the rock had decomposed. The rock is a coarse, soft, white sandstone. On one side of the cave is a space about 2 feet high and 2½ feet in length, made into the wall. Above are the upper fragments of pictures, and below are lower fragments, showing that they were made when the rock was entire. From the depth to which decompositions reached in this dry and dark cavern, the inscription must be quite ancient. If the carving mentioned really represents the mastodon, the work must have been done by mound builders.

The accumulated sand needs to be removed to get a full view, and possibly human remains may be found. The entrance to the cave had evidently been covered by a landslide, there being left open only a small hole, where traps have long been set for coons. The large number of these animals that were caught led to the belief that the space inhabited by them must be large, and investigation led to the discovery of the cave. It is stated that over the entrance, since the landslide, a poplar tree, 18 inches in diameter, has grown, which shows that the cave has not been occupied by human beings for more than a century.


If the above statements are true, this may prove to be a rich find for our antiquarians.

NEW DEVICE FOR SEPARATING CREAM FROM MILK.

A novel device for separating cream from milk is shown in the accompanying engraving. It consists of a can for containing milk, to which is fitted a pan for containing water. The can is provided with an airtight cover, from which a tube projects nearly to the bottom of the water pan. In the top of this tube there is a valve, and a pump is attached to the cover immediately above the tube.

The can is filled with milk nearly to the lugs that support the water pan, and the latter is filled with water and placed in the can. The cover is then put on and fastened, and the pump is applied.

By removing the water from the pan a vacuum is created in the can which is said to greatly facilitate the raising of the cream. This device was recently patented by Mr. S. L. Plumb, of Portage, Wis.



Apparatus for Raising Cream.

The New Austrian Explosive.

The new explosive for military use, recently introduced in Austria, appears to have remarkable properties. It consists of Nobel's explosive gelatine (formed by dissolving gun cotton in nitro-glycerine), with camphor added in varying proportions (nominally 4 per cent). An interesting account of experiments made at the works of Zamy with this explosive is now appearing in the *Revue d'Artillerie*. From experiments on iron plates it appears that, weight for weight, it is 25 per cent stronger than the best Kieselguhr dynamite. The freezing of the charge and the priming cartridge does not diminish the inflammability and shattering force. The explosive is not sensibly altered by being under current water forty-eight hours. Fired at, in the soft state, with a rifle at twenty-five meters distance, it resists the shock; but not if frozen and placed against iron (or against wood, if frozen and containing only 1 per cent camphor). Its superiority, for military purposes, to ordinary explosive gelatine and other explosives is very marked. This new explosive is known as blasting gelatine.

Phosphorescent Powders.

A recent English patent is to obtain and to utilize at night the light taken or absorbed during the day time from direct or indirect sunlight, or from an artificial light, either by employing phosphorescent powders simply after exposure, or by augmenting their brilliancy by means of electricity. The composition and manufacture of the luminous products and their applications without the use of electricity, is thus described: 100 parts by weight of a carbonate of lime and phosphate of lime, produced by the calcination of sea shells, and especially those of the genus *Tridacna* and the cuttle fish bone, are to be intimately mixed with 100

parts by weight of lime rendered chemically pure by calcination, and add 25 parts by weight of calcined sea salt; from 25 to 50 per cent of the whole mass of sulphur, which incorporate therewith by the process of sublimation; and from 3 to 7 per cent of coloring matter in the form of powder composed of mono-sulphure of calcium, barium, strontium, uranium, magnesium, aluminum, or other minerals or substance producing the same physical appearances, *i. e.*, which, after having been impregnated with light, becomes luminous in the dark. After having mixed these five ingredients intimately the composition obtained is ready for use according to different methods of application. In certain cases, and more specially for augmenting the intensity and the duration of the luminous effect of the composition, the patentees add a sixth ingredient in the form of phosphorus reduced into powder, which is obtained from seaweed by the well known process of calcination. As to proportion, it is found that the phosphorus contained in a quantity of sea weed, representing 25 per cent of the weight of the composition formed by the five above named ingredients, gives very good results.

The phosphorescent powder thus obtained and reduced into paste by the addition of a sufficient quantity of varnish, such as copal, may serve with advantage for illuminating a great number of objects, *e. g.*, buoys, sea compasses, barometers, street plates, sign boards, and other similar objects, by arranging it in more or less thick coatings upon a plate of metal, wood, glass, or other material, covered by a transparent glass; this powder may also be employed for theatrical scenery or pictures, artificial flowers, and other similar articles by the application of one or more coatings of the powder incorporated in the varnish, or else by varnishing previously these objects and by sprinkling the dry powder upon the varnish still damp, and in this case the covering piece made of glass or other transparent material may be suppressed.

These powders are also employed for manufacturing solid objects generally made of cellulose, paper paste, papier-mache, artificial ivory, sometimes called coralline, and other materials of a similar nature, by sprinkling the surface of these objects, or only certain parts of the surface (still damp or moist) which are usually exposed to light, and by compression in moulds or otherwise in order to incorporate definitely the phosphorescent powders into the surfaces. The amount of powder applied should not exceed the thickness of a thin sheet of cardboard; it may be employed either for coating the whole surface or certain fractions thereof, so as to produce various designs, inscriptions, or effects. For this application various powders are also applied, which contain different coloring matters, so as to produce effects of various colors.

The dry phosphorescent powders are also converted into translucent flexible sheets of unlimited length, thickness, and width, by mixing them with about 80 per cent of their weight of ether and collodion in equal parts in a close vessel, and rolling the product into sheets, with which any object may be covered which is intended to be luminous in the dark.

The phosphorescent powders may also be intimately mixed with stearine, paraffine, rectified glue, isinglass, liquid silice, or other transparent solid matter, in the proportion of from 20 to 30 per cent of the former with from 50 to 80 per cent of either of these substances, and this mass is then reduced into sheets of variable length, width, and thickness, according to their intended applications. A luminous glass is also manufactured by means of the above mentioned phosphorescent powders by mixing the same in glass in a fused state in the proportions of from 5 to 20 per cent of the mass of glass. After the composition has been puddled or mixed it is converted into different articles, according to the ordinary processes; or after the manufacture of an object still warm and plastic made of ordinary glass it is sprinkled with the powders, which latter are then incorporated into the surface of the article by pressure exerted in the mould, or in any other suitable way.

It has been observed after various trials that the passage of an electric current through the different compositions augments their luminous properties or brilliancy to a great extent; this peculiarity is intended to be utilized in various applications too numerous to describe; but of which buoys form a good example. The current of electricity is furnished by plates of zinc and copper mounted on the buoy itself, when the latter is used at sea, but in rivers and fresh water inlets the battery will be carried in the interior of the buoy. To secure the full effect from 10 to 20 per cent of fine zinc, copper, or antimony dust is added to the phosphorescent powder above described. The patentees, Peiffer, MacCarty, and De Sagan, have devised a special form of buoy, which they claim is their invention, in company with the various applications above described.

AN INVENTOR VICTORIOUS.

Under the above heading the *Cincinnati Commercial* of June 10th says:

The suit of John L. Lewis against the Swift Iron and Steel Works of Newport, to restrain them from operating a style of rolls patented by the plaintiff, was decided yesterday in the United States Court. The decree of the court orders that Swift & Co. be forever restrained from using any of the 14 sets of iron rollers now at the mill in Newport, Ky., and from making or using any roller of like form. It is further ordered that this case be referred to the Master to inquire and report as well the profits realized by Swift & Co.

by the use of the rollers, as the damage which Lewis has sustained, and for this purpose the two parties are to bring proof as to how long Swift & Co. have used each set of rolls, with the provision that in the absence of any proof it will be assumed that they have been in use for five years from the beginning of this suit; and as to what royalty Lewis has been receiving for the license and whether the royalty be different according to the size of the rolls. The proof is required to be furnished by the 10th of July, and the case submitted to the court on the 30th of the same month.

This patent for angle iron rolls was granted to John L. Lewis, of Pittsburg, Pa., through the *SCIENTIFIC AMERICAN* Agency of Munn & Co., and the case between the patentee and the Swift Iron and Steel Works of Newport, Ky., was carried on for a period of more than five years. The letters patent were the object of attack by able patent lawyers, and the case drew considerable attention among iron manufacturers, West and Southwest. It is rarely, perhaps, that a specification is subjected to the test so long continued as was the Lewis patent, but it stood the test well.

Industrial Art in New York.

Hitherto there has been no museum in this city which has given any special attention to the applications of industry to art and art to industry. This want the trustees of the Metropolitan Museum have determined to supply, and have devoted a portion of the new art building, in Central Park, to collections illustrating industrial art. They propose to begin with the applications of metals. Valuable gifts have already been received, others are promised, and more are earnestly solicited. Professor Thomas Egleston, of the School of Mines, Columbia College, has been authorized to receive such donations. Communications relating to the matter may be sent to him or to the Director of the Museum, Gen. Di Cesnola. The department is an important and useful one, and it is to be hoped that contributions will be liberal.

Disastrous Earthquake in Sicily.

The region about Mount Etna was shaken by a violent earthquake June 18. Five villages near Aci Reale, a few miles northeast of Catania, were almost wholly destroyed, with serious loss of life. The eruption of Etna had subsided materially.

IMPROVED ANCHOR.

The engraving represents an improved anchor recently patented by Messrs. Spedden & Stafford, of Astoria, Oregon. It consists in a single fluke pivoted in a frame and provided with cam-shaped tripping arms at its base. The frame or shank serves both as a shank and stock, and it has no projecting arms to entangle the cable or chains so as to foul it, and its action is rendered positive by the action of the trip arms.



A Novel Anchor.

Solution for Electro-Plating with Copper.

The following recipe is for a solution for electro-coppering iron, lead, zinc, pewter, etc.: Weigh out, sulphate of copper, one drachm; tartaric acid, two drachms; caustic potash (in sticks), two drachms. Dissolve the sulphate of copper in about half a tumblerful of water. Also dissolve a small quantity of washing soda (about 2 drachms) in warm water, and add the soda solution to the copper solution.

Just enough should be added to throw down all the copper in the form of a green precipitate—basic carbonate of copper. This precipitate has now to be separated from the fluid, which is a solution of sulphate of soda. The quickest way to effect the separation is by filtration, in which a piece of blotting paper, folded twice and adjusted within a funnel, may replace the usual filter paper. The *Electrician* says that if time be no object, the precipitate may be allowed to subside, and the clear solution afterward poured off. In either case the precipitate should be washed with clear water in order to remove the last portions of the soda solution. Now dissolve the tartaric acid in a small quantity of warm water; get the moist copper precipitate into a tumbler, and pour the tartaric acid solution upon it. Effervescence will take place. Wait until all the gas—carbonic acid—is evolved; then put the sticks of caustic potash into the tumbler, and add sufficient water to make up at least half a tumblerful—one gill—of solution. The potash dissolves the copper precipitate, the fluid becoming of a beautiful blue color, without any sediment.

Ancient Intercourse with China.

The Chinese Ambassador, Li-Fang-pao, at Berlin, says that from the Chinese inscription on one of the vases found by Dr. Schliemann on Trojan soil, it is proved that there was traffic between China and European boundaries about twelve hundred years before Christ. The gauze linen found by Dr. Schliemann in the vase was made in China. Li-Fang-pao contends that the Hyperboreans were Chinamen.

Correspondence.

The Cause of Consumption.

To the Editor of the Scientific American:

In your editorial of May 31 upon my views of the cause of consumption you say: "Regular physicians will be apt to say" I have "mistaken a condition for a cause." That such a mistake might be made upon so complicated a subject is no doubt a natural inference, and I do not write to complain of it—far from that—but to call attention to a few facts which show how little chance there is to make a mistake in this important matter.

I cannot see, for instance, how it is possible to mistake a condition for a cause in consumption any more than in Bright's disease, with that feature of either disease that is identical in both; that is to say, it is difficult to see how the loss of albumen from the blood through the kidneys, in Bright's disease, can be considered the cause of the disease, while an equal or greater loss of albumen from the blood through the lungs, in consumption, should be held to be only a condition of that disease. The mistake would certainly be in divorcing the two losses in that way, and say that the waste of identically the same element from the blood meant one thing in the one disease and an entirely different thing in the other.

The entire medical profession of all schools, and without exception, stands committed to the teaching that a discharge of albumen from the kidneys is the cause and the only cause of Bright's disease, and of all that follows in those cases up to and including death; also, that it is one of the most fatal of all diseased conditions. And the fact that all of the albumen so discharged is a direct waste or loss of just so much of it from the blood is proved by the following from Carpenter's "Physiology," page 189, where, in speaking of Bright's disease, he says:

"According to Andral the diminution in the amount of albumen in the serum is exactly proportional to the quantity contained in the urine."

Language could not be more definite and positive than that. There never was a case of Bright's disease without the discharges from the kidneys containing albumen. That constitutes the disease. It is the first, the last, and the only symptom, with barely one minor exception, viz., fibrinous casts of the uriniferous tubules, by which the disease is known or can be recognized with certainty to exist during the lifetime of the patient. All other manifestations of the disease are common to several other diseases.

With consumption also the very first departure from health is a discharge of albumen through or from some one or more of the organs lined with a mucous membrane, more generally of course from the air passages; still many cases are commenced by a waste of albumen through and in consequence of chronic irritations and abrasions of the mucous membrane of the stomach, of the bowels, or of the genital organs of females, until the system is exhausted to a certain extent, when in many of these cases the disease will leave those parts and be transferred to the lungs, or be driven to them by wrong treatment, there to complete its final work. The waste of albumen continues, too, in all cases of consumption, and generally in an increasing quantity, to the close of life; so it is the first and among the last symptoms of the disease, but by no means the only certain indication of it, as in Bright's disease. Indeed, consumption has ever, hitherto, been recognized solely by other symptoms and appearances, and the fact of the loss of albumen has never before been taken into consideration as a constant attendant of the disease, much less has it ever before been even suspected of being the true and only cause of it. But there never would have been and never could be a case of consumption but for the waste of albumen, any more than there could be a case of Bright's disease without that.

And that the appearance of albumen in the discharges in all these cases is a loss or waste of just so much of it from the blood, the same as in Bright's disease, is a self-evident fact, for there is no other possible source from which it can be drawn but from the blood.

Again, never a case of consumption occurred without the blood becoming too watery long before tubercles began to organize, and getting more and more watery as the case went on and the waste of albumen increased; and nothing causes this too watery condition of the blood but the loss of albumen therefrom, excepting with those in poverty, who are compelled to live on too watery food, or that which does not contain sufficient albumen. And here it may as well be said that nothing is food for man that does not contain considerable albumen; and that which contains the most of it, other things being equal, is by far the best.

To recapitulate the main facts in this subject, then, so that any intelligent mind will be able to grasp it as a whole: The first departure from health in consumption is marked by a waste of albumen, always from the blood, and the increase in severity of any and all symptoms of the disease is marked by an increasing waste of albumen; the watery condition of the blood is solely due to such waste, and the blood becomes more watery as the waste becomes greater, because of the increasing relative excess of water left in the bloodvessels by it; this excess of water causes the night sweats and dropsy, which get worse as the loss of albumen increases; the blood corpuscles left in excess are decolorized by circulating in the too watery serum and become the so-called tuberculous corpuscles, which also increase in numbers as said loss progresses; the excess of fatty matters causes the fatty livers,

etc.; the excess of fibrin causes the adhesions of the pleura, which become more and more extended as the cause of all advances; the same general fact holds in regard to the excess of salts producing their characteristic troubles, which increase with all else; and finally, the characteristic emaciation of consumption keeps exact pace with the waste of albumen; when this progresses slowly that progresses slowly, when this goes on rapidly that goes on rapidly, for the simple reason that the muscles are being robbed of a portion of their only food, and must shrivel in the exact ratio that that is taken from them.

By such a presentation of the facts of the case I trust all will now be enabled to see how almost impossible it is to make any great mistake upon any point in this subject; also that every part of it is so intimately and inseparably connected with every other part, that it must be considered as a whole, if we would deal intelligently with it. And this leads me to call attention, in conclusion, to the fact that, as you inferred at the close of your editorial, the treatment of consumption must be radically changed in almost all respects to correspond with the real cause, and with this great chain of events as they naturally occur in the disease, or there is no hope of the profession ever doing any more in the future than it has in the past in mastering this greatest of all the scourges of mankind.

ROLLIN R. GREGG, M.D.

Buffalo, N. Y., June 10, 1879.

ENGINEERING INVENTIONS.

Mr. W. H. Maple, of Chariton, Iowa, has recently patented an improved car coupler, which employs a combined link and pin. It is certainly very simple, and it appears to be a safe and practical device. It is operated from the side of the car, thereby avoiding the accidents common to the old link and pin coupling.

An improvement in drill jars, consisting in forming the links with rounded outer and inner surfaces and cylindrical anvils or striking heads, arranged inside at the ends of the links to receive the impact when the drilling tool is lifted, has been patented by Mr. J. E. Hughes, of Barnhart's Mills, Pa.

An improvement in hand and horse power fire engines has been patented by Mr. A. S. Walbridge, of Mystic, Quebec, Canada. Three or more pumps are arranged radially around a vertical shaft, and operated by a single crank. The shaft is fitted with a hub for carrying sweeps, so that it may be driven by hand or horse power.

An improved centrifugal ore pulverizer and separator has been patented by Alexander Goodhart, of Carlisle, Pa. The invention relates to the construction of a cylinder, into which the ore matter is first received, and in which it receives a preliminary pulverizing. This cylinder is surrounded by another cylinder, that revolves in the opposite direction, and completes the pulverizing process.

Mr. Sylvanus B. Nickum, of Jalapa, Ind., has patented an improved railroad switch, which may be operated from the locomotive or from the rear car of the train. The switch rails are operated by a lever, which is pivoted to one of the ties, and is engaged by a pin on the locomotive or car, the pin being arranged so that it may be dropped down into position to engage the lever or raised up out of the way.

Henry Reese, of Baltimore, Md. (not Ruse, as given in a recent issue), has patented in this country, a railway cross-tie, of wrought iron, to which the rails are fastened by means of a permanent lug and removable clamp at each end of each tie. Both lugs face toward the same end of the tie, and the alternate ties are reversed end for end, so that the permanent lugs alternate on opposite sides of the base flanges of the rails. The movable clamp is held to its place by a simple form of spring, which takes up all wear and keeps the fastening tight and rigid. Patents are pending for the same invention in several European countries.

The Steam Engine of the Future.*

In the form of a pamphlet the well known author of many valuable works on the steam engine has now given forth some admirable suggestions, and sensible provisions, as to the future of the wondrous machine. We shall at present content ourselves with allowing Mr. Bourne to speak for himself on this pregnant subject. He observes that "the benefit of working steam engines expansively is well known to engineers, as also the necessity of employing a steam jacket in engines so worked, to obtain the full benefit of the expansive principle. It is not generally known, but is nevertheless the fact, that in high speed engines there is a further benefit arising from the inability of the cylinder to become sensibly heated and cooled at each stroke, from the shortness of the time given for that process, and in such engines the cylinder approaches to the condition of a non-conductor, which is known to be favorable to the economical generation of power. Then, in the case of all high pressure engines, it is easy to see that a considerable pressure must be more beneficial than a lower pressure. To raise a given quantity of water into steam takes just the same quantity of heat, whether the evaporation is effected at the pressure of the atmosphere or at six or eight times that pressure. But at the low pressure the steam will not generate any power, whereas at the high pressure it will generate much power. A very high pressure of steam, however, is inconvenient, as

it involves a correspondingly strong and heavy boiler, an extra strong and heavy engine, and separate expansion gear, which is not compensated by the small amount of increased economy obtained from excessive pressure. I have found a pressure of about eight atmospheres to be, on the whole, the most eligible that can be adopted.

"Supposing a good and cheap small engine to be available—an engine that will be strong, simple, safe, light, noiseless, and economical in fuel—not only would all its industrial applications be extended, but it would find a new and wide sphere of usefulness in ministering to domestic wants, one of the most widely pervading of which is the want of a simple motive power. In American hotels steam engines have long been employed for brushing boots and cleaning knives. They are the docile and inexpensive Helots of the age, and the domestic production of the electric light is a new and important sphere for their energies. But besides these functions, a domestic engine may be employed in roasting meat, driving washing machines and mangles, driving sewing machines, in brushing hair, in preparing aerated waters, and in the country for pumping, for sawing wood, and for performing many other laborious operations. A steam engine may be made to cool houses in summer and to warm them in winter, to maintain fountains in conservatories, to work punkas, to produce ice, and to create and maintain a vacuum in safes for the preservation of meat. For such purposes the engine must obviously be of the simplest, most compact, and most inexpensive character, and should be attached to the boiler, so that the whole may be lifted in a piece, like a hall stove. The boiler should be provided with a self acting feed of water, and the fuel should be gas, which has only to be lighted to enable the engine to be put into operation. Gas companies will find ample compensation for the loss of their lighting function in the creation of a new heating function, which will become larger and more remunerative than the lighting has ever been. Instead of extracting from the coal only the illuminating gases, the whole fuel should be turned into combustible gas by the aid of superheated steam, and all the fires of houses could be maintained by this cheap gas burning in jets amid pumice, which it would keep red hot. There would then be neither dust from grates nor smoke from chimneys, and the gas-works would supply the fuel that is necessary for the generation of the electric light.

"I cannot pretend in this brief notice to enumerate all the improvements which the steam engine of the future should comprehend; but one essential quality is, that the boiler shall not be liable to internal incrustation, and that there shall be abundant facilities for easily cleaning it out. Most waters contain a certain proportion of lime, which is precipitated by boiling, and in tea-kettles this lime forms an internal crust, which is termed 'rock.' Such incrustation hinders the transmission of heat through the metal of a boiler, and is injurious in various ways. But there are known means of preventing its formation, and in the 'steam engine of the future,' it is an indispensable feature that these means shall be embodied.

"The application of the steam engine to the propulsion of carriages, omnibuses, and cabs, is now only hindered by its too heavy weight and too high cost. Asphalt pavements, which are objectionable for horses, afford for steam carriages a surface as eligible for easy traction as a railway, and without any countervailing fault. All wheeled vehicles, whether required to travel at a high or a low speed, will be propelled by steam instead of horses as soon as the steam engine is made sufficiently light and sufficiently cheap to warrant the substitution. Life boats, instead of being open boats propelled by a number of men, should be decked boats propelled by a steam engine, and managed by only two men, one to steer the boat and the other to attend to the engine. Such boats should be propelled by a water jet which will always act, whatever may be the roughness of the sea, and whether the stern of the boat is in or out of the water. The use of the steam engine for irrigation in connection with the centrifugal pump is an application of which the sphere is limited only by the cost and the deficient portability of the apparatus. To render the class of small engines so much more portable, so much more simple, and so much less costly as to remove the existing impediments to their use, may certainly be accounted one of the most important problems of the present time, and I trust it is not presumptuous to hope that the cursory hints here given may accelerate the desired solution.

Comparative Longevity.

Herr Max Waldstein, of the Statistical Department at Vienna, says, in a recently published pamphlet, that the number of people in Europe who are upward of 90 years old is 12,831, of whom 60,203 are women. Of those who are over 100 years of age, there are 241 women and 161 men in Italy, 229 women and 183 men in Austria, and 526 women and 524 men in Hungary. There are in Austria 1,508,359 persons over 60 years of age, comprising 7.5 per cent of the whole population. It is found that the percentage of old people is much higher among the Germans than among the Slavs. In the German provinces of Upper Austria and Salzburg it is 11.5, while in Galicia it is only 4. In Hungary there are more old men than old women, which is explained by the fact that the excess of women over men is less in Hungary than in other countries. According to Herr Waldstein there are in Austria 100 women and 86 men who are 100 years old, 41 women and 37 men who are 101, and 88 women and 60 men who are upwards of 101 years of age.

* "The Steam Engine of the Future, and the Future of the Steam Engine." By John Bourne, C.E. London: John Bourne & Co., 66 Mark-lane. 1879.—From *Foreman Engineer and Draughtsman*.

AN OLD CONCERN RE-ESTABLISHED.

Horace Waters & Son, dealers in musical instruments in this city, made an assignment not long ago to secure their creditors. Mr. Waters, Sr., after thirty years' experience, hopes, by enterprise, economy, and fair dealing, to re-establish his business and to retain his old customers. To this end, he has opened a store at No. 40 East 14th St., and acts as agent for a number of leading musical instrument manufacturers.

Business and Personal.

The Charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

There is no delay, no firing up, no ashes, no extra insurance, and no coal bills, for manufacturers using the Backus Water Motor. It is the most economical power known for driving turning lathes, scroll saws, grinders, printing presses, sewing machines, etc. Four horse power at 40 pounds pressure. It is noiseless, neat, compact, steady, and, above all, very cheap. Will work at any pressure above 15 pounds. Send for circular, addressing the manufacturers, The Backus Water Motor Company, Newark, N. J.

The best results are obtained by the Imp. Eureka Turbine Wheel and Barber's Pat. Pulverizing Mills. Send for descriptive pamphlets to Barber & Son, Allentown, Pa.

Catechism of the Locomotive, 625 pages, 250 engravings. The most accurate, complete, and easily understood book on the Locomotive. Price \$2.50. Send for a catalogue of railroad books. The Railroad Gazette, 73 Broadway, New York.

Best Turkey Emery in bbls., kegs, and cases. Special rates for large quantities. Greene, Tweed & Co., 18 Park Place, New York.

Solid and Opening Die Bolt Cutters, Screw Plates, and Taps. The Pratt & Whitney Co., Hartford, Conn.

Wanted—A 2d hand Stationary Engine, about 18 to 20 H.P. J. Davis, Limestoneville, Montour Co., Pa.

Wanted—Engineers and others to sell Barr's "Combustion of Coal." \$5 a day made after working hours. Address John Bros., Indianapolis, Ind.

The advertisement of the Aultman & Taylor Company, which attracted so much attention last week, will appear again in the next issue.

Bunnell's Dynamo-Electric Machine for Gold, Silver, Copper, and Nickel Plating. An improved, reliable, and powerful machine, for \$15. Bunnell, Electrician, 112 Liberty St., New York.

Makers of Engines, Lathes, Jig Saws, etc., for amateur use, send circulars to 310 York Ave., Phila., Pa.

Pattern Makers can get Metallic Pattern Letters to letter patterns, of H. W. Knight, Seneca Falls, N. Y.

For Sale.—One Corlies Engine, in first-class order, having been used but little; cylinder 10 in. diameter, 24 in. stroke, Kelly & Ludwig, 775 Filbert St., Philadelphia, Pa.

Wright's Patent Steam Engine, with automatic cut-off. The best engine made. For prices, address William Wright, Manufacturer, Newburgh, N. Y.

Rubber Belting, Packing, Hose, and all kinds of manufacturers' supplies. Greene, Tweed & Co., 18 Park Pl., N. Y.

The address of John Byrne, maker of the 4½ in. telescope, with which the companion of Sirius was recently seen, is 311 East 21st St., New York City.

Sawyer's Own Book, Illustrated. Over 100 pages of valuable information. How to straighten saws, etc. Sent free by mail to any part of the world. Send your full address to Emerson, Smith & Co., Beaver Falls, Pa.

For Sale or Royalty.—Goodwin's Music Leaf Turner. Patented March 4, 1879. No. 212,846. Address O. H. Goodwin, P. O., San Francisco, Cal.

The H. W. Johns Mfg. Co., 87 Maiden Lane, New York, are sole manufacturers of the Genuine Asbestos Liquid Paints, Boiler Coverings, Fireproof Coatings, etc.

Gears.—All kinds and sizes. New list. Light machine work, models, etc. Geo. B. Grant, 38 Beverly St., Boston, Mass.

Slate, Barrel, Keg, and Hogshead Machinery a specialty, by E. & B. Holmes, Buffalo, N. Y.

Improved Blind Staples, B. C. Davis, Binghamton, N. Y.

For Solid Wrought Iron Beams, etc., see advertisement. Address Union Iron Mills, Pittsburgh, Pa., for lithograph, etc.

H. Prentiss & Co., 14 Dey St., New York, Manufs. Taps, Dies, Screw Plates, Reamers, etc. Send for list.

For Screw Cutting Engine Lathes of 14, 15, 18, and 22 in. Swing. Address Star Tool Co., Providence, R. I.

The Horton Lathe Chucks; prices reduced 30 per cent. Address The Horton & Son Co., Windsor Locks, Conn.

Lincoln's Milling Machines; 17 and 20 in. Screw Lathes. Phoenix Iron Works, Hartford, Conn.

Boilers ready for shipment. For a good Boiler send to Hiles & Jones, Wilmington, Del.

A Cupola works best with forced blast from a Baker Blower. Wilbraham Bros., 2318 Frankford Ave., Phila.

Presses, Dies, and Tools for working Sheet Metal, etc. Fruit & other can tools. Bliss & Williams, B'klyn, N. Y.

Lincoln Hose.—Sizes: 1½ in., 2 in., 2½ in., 3 in., 3½ in., 4 in., 5 in., 6 in., 8 in., 10 in., 12 in., 14 in., 16 in., 18 in., 20 in., 22 in., 24 in., 26 in., 28 in., 30 in., 32 in., 34 in., 36 in., 38 in., 40 in., 42 in., 44 in., 46 in., 48 in., 50 in., 52 in., 54 in., 56 in., 58 in., 60 in., 62 in., 64 in., 66 in., 68 in., 70 in., 72 in., 74 in., 76 in., 78 in., 80 in., 82 in., 84 in., 86 in., 88 in., 90 in., 92 in., 94 in., 96 in., 98 in., 100 in., 102 in., 104 in., 106 in., 108 in., 110 in., 112 in., 114 in., 116 in., 118 in., 120 in., 122 in., 124 in., 126 in., 128 in., 130 in., 132 in., 134 in., 136 in., 138 in., 140 in., 142 in., 144 in., 146 in., 148 in., 150 in., 152 in., 154 in., 156 in., 158 in., 160 in., 162 in., 164 in., 166 in., 168 in., 170 in., 172 in., 174 in., 176 in., 178 in., 180 in., 182 in., 184 in., 186 in., 188 in., 190 in., 192 in., 194 in., 196 in., 198 in., 200 in., 202 in., 204 in., 206 in., 208 in., 210 in., 212 in., 214 in., 216 in., 218 in., 220 in., 222 in., 224 in., 226 in., 228 in., 230 in., 232 in., 234 in., 236 in., 238 in., 240 in., 242 in., 244 in., 246 in., 248 in., 250 in., 252 in., 254 in., 256 in., 258 in., 260 in., 262 in., 264 in., 266 in., 268 in., 270 in., 272 in., 274 in., 276 in., 278 in., 280 in., 282 in., 284 in., 286 in., 288 in., 290 in., 292 in., 294 in., 296 in., 298 in., 300 in., 302 in., 304 in., 306 in., 308 in., 310 in., 312 in., 314 in., 316 in., 318 in., 320 in., 322 in., 324 in., 326 in., 328 in., 330 in., 332 in., 334 in., 336 in., 338 in., 340 in., 342 in., 344 in., 346 in., 348 in., 350 in., 352 in., 354 in., 356 in., 358 in., 360 in., 362 in., 364 in., 366 in., 368 in., 370 in., 372 in., 374 in., 376 in., 378 in., 380 in., 382 in., 384 in., 386 in., 388 in., 390 in., 392 in., 394 in., 396 in., 398 in., 400 in., 402 in., 404 in., 406 in., 408 in., 410 in., 412 in., 414 in., 416 in., 418 in., 420 in., 422 in., 424 in., 426 in., 428 in., 430 in., 432 in., 434 in., 436 in., 438 in., 440 in., 442 in., 444 in., 446 in., 448 in., 450 in., 452 in., 454 in., 456 in., 458 in., 460 in., 462 in., 464 in., 466 in., 468 in., 470 in., 472 in., 474 in., 476 in., 478 in., 480 in., 482 in., 484 in., 486 in., 488 in., 490 in., 492 in., 494 in., 496 in., 498 in., 500 in., 502 in., 504 in., 506 in., 508 in., 510 in., 512 in., 514 in., 516 in., 518 in., 520 in., 522 in., 524 in., 526 in., 528 in., 530 in., 532 in., 534 in., 536 in., 538 in., 540 in., 542 in., 544 in., 546 in., 548 in., 550 in., 552 in., 554 in., 556 in., 558 in., 560 in., 562 in., 564 in., 566 in., 568 in., 570 in., 572 in., 574 in., 576 in., 578 in., 580 in., 582 in., 584 in., 586 in., 588 in., 590 in., 592 in., 594 in., 596 in., 598 in., 600 in., 602 in., 604 in., 606 in., 608 in., 610 in., 612 in., 614 in., 616 in., 618 in., 620 in., 622 in., 624 in., 626 in., 628 in., 630 in., 632 in., 634 in., 636 in., 638 in., 640 in., 642 in., 644 in., 646 in., 648 in., 650 in., 652 in., 654 in., 656 in., 658 in., 660 in., 662 in., 664 in., 666 in., 668 in., 670 in., 672 in., 674 in., 676 in., 678 in., 680 in., 682 in., 684 in., 686 in., 688 in., 690 in., 692 in., 694 in., 696 in., 698 in., 700 in., 702 in., 704 in., 706 in., 708 in., 710 in., 712 in., 714 in., 716 in., 718 in., 720 in., 722 in., 724 in., 726 in., 728 in., 730 in., 732 in., 734 in., 736 in., 738 in., 740 in., 742 in., 744 in., 746 in., 748 in., 750 in., 752 in., 754 in., 756 in., 758 in., 760 in., 762 in., 764 in., 766 in., 768 in., 770 in., 772 in., 774 in., 776 in., 778 in., 780 in., 782 in., 784 in., 786 in., 788 in., 790 in., 792 in., 794 in., 796 in., 798 in., 800 in., 802 in., 804 in., 806 in., 808 in., 810 in., 812 in., 814 in., 816 in., 818 in., 820 in., 822 in., 824 in., 826 in., 828 in., 830 in., 832 in., 834 in., 836 in., 838 in., 840 in., 842 in., 844 in., 846 in., 848 in., 850 in., 852 in., 854 in., 856 in., 858 in., 860 in., 862 in., 864 in., 866 in., 868 in., 870 in., 872 in., 874 in., 876 in., 878 in., 880 in., 882 in., 884 in., 886 in., 888 in., 890 in., 892 in., 894 in., 896 in., 898 in., 900 in., 902 in., 904 in., 906 in., 908 in., 910 in., 912 in., 914 in., 916 in., 918 in., 920 in., 922 in., 924 in., 926 in., 928 in., 930 in., 932 in., 934 in., 936 in., 938 in., 940 in., 942 in., 944 in., 946 in., 948 in., 950 in., 952 in., 954 in., 956 in., 958 in., 960 in., 962 in., 964 in., 966 in., 968 in., 970 in., 972 in., 974 in., 976 in., 978 in., 980 in., 982 in., 984 in., 986 in., 988 in., 990 in., 992 in., 994 in., 996 in., 998 in., 1000 in., 1002 in., 1004 in., 1006 in., 1008 in., 1010 in., 1012 in., 1014 in., 1016 in., 1018 in., 1020 in., 1022 in., 1024 in., 1026 in., 1028 in., 1030 in., 1032 in., 1034 in., 1036 in., 1038 in., 1040 in., 1042 in., 1044 in., 1046 in., 1048 in., 1050 in., 1052 in., 1054 in., 1056 in., 1058 in., 1060 in., 1062 in., 1064 in., 1066 in., 1068 in., 1070 in., 1072 in., 1074 in., 1076 in., 1078 in., 1080 in., 1082 in., 1084 in., 1086 in., 1088 in., 1090 in., 1092 in., 1094 in., 1096 in., 1098 in., 1100 in., 1102 in., 1104 in., 1106 in., 1108 in., 1110 in., 1112 in., 1114 in., 1116 in., 1118 in., 1120 in., 1122 in., 1124 in., 1126 in., 1128 in., 1130 in., 1132 in., 1134 in., 1136 in., 1138 in., 1140 in., 1142 in., 1144 in., 1146 in., 1148 in., 1150 in., 1152 in., 1154 in., 1156 in., 1158 in., 1160 in., 1162 in., 1164 in., 1166 in., 1168 in., 1170 in., 1172 in., 1174 in., 1176 in., 1178 in., 1180 in., 1182 in., 1184 in., 1186 in., 1188 in., 1190 in., 1192 in., 1194 in., 1196 in., 1198 in., 1200 in., 1202 in., 1204 in., 1206 in., 1208 in., 1210 in., 1212 in., 1214 in., 1216 in., 1218 in., 1220 in., 1222 in., 1224 in., 1226 in., 1228 in., 1230 in., 1232 in., 1234 in., 1236 in., 1238 in., 1240 in., 1242 in., 1244 in., 1246 in., 1248 in., 1250 in., 1252 in., 1254 in., 1256 in., 1258 in., 1260 in., 1262 in., 1264 in., 1266 in., 1268 in., 1270 in., 1272 in., 1274 in., 1276 in., 1278 in., 1280 in., 1282 in., 1284 in., 1286 in., 1288 in., 1290 in., 1292 in., 1294 in., 1296 in., 1298 in., 1300 in., 1302 in., 1304 in., 1306 in., 1308 in., 1310 in., 1312 in., 1314 in., 1316 in., 1318 in., 1320 in., 1322 in., 1324 in., 1326 in., 1328 in., 1330 in., 1332 in., 1334 in., 1336 in., 1338 in., 1340 in., 1342 in., 1344 in., 1346 in., 1348 in., 1350 in., 1352 in., 1354 in., 1356 in., 1358 in., 1360 in., 1362 in., 1364 in., 1366 in., 1368 in., 1370 in., 1372 in., 1374 in., 1376 in., 1378 in., 1380 in., 1382 in., 1384 in., 1386 in., 1388 in., 1390 in., 1392 in., 1394 in., 1396 in., 1398 in., 1400 in., 1402 in., 1404 in., 1406 in., 1408 in., 1410 in., 1412 in., 1414 in., 1416 in., 1418 in., 1420 in., 1422 in., 1424 in., 1426 in., 1428 in., 1430 in., 1432 in., 1434 in., 1436 in., 1438 in., 1440 in., 1442 in., 1444 in., 1446 in., 1448 in., 1450 in., 1452 in., 1454 in., 1456 in., 1458 in., 1460 in., 1462 in., 1464 in., 1466 in., 1468 in., 1470 in., 1472 in., 1474 in., 1476 in., 1478 in., 1480 in., 1482 in., 1484 in., 1486 in., 1488 in., 1490 in., 1492 in., 1494 in., 1496 in., 1498 in., 1500 in., 1502 in., 1504 in., 1506 in., 1508 in., 1510 in., 1512 in., 1514 in., 1516 in., 1518 in., 1520 in., 1522 in., 1524 in., 1526 in., 1528 in., 1530 in., 1532 in., 1534 in., 1536 in., 1538 in., 1540 in., 1542 in., 1544 in., 1546 in., 1548 in., 1550 in., 1552 in., 1554 in., 1556 in., 1558 in., 1560 in., 1562 in., 1564 in., 1566 in., 1568 in., 1570 in., 1572 in., 1574 in., 1576 in., 1578 in., 1580 in., 1582 in., 1584 in., 1586 in., 1588 in., 1590 in., 1592 in., 1594 in., 1596 in., 1598 in., 1600 in., 1602 in., 1604 in., 1606 in., 1608 in., 1610 in., 1612 in., 1614 in., 1616 in., 1618 in., 1620 in., 1622 in., 1624 in., 1626 in., 1628 in., 1630 in., 1632 in., 1634 in., 1636 in., 1638 in., 1640 in., 1642 in., 1644 in., 1646 in., 1648 in., 1650 in., 1652 in., 1654 in., 1656 in., 1658 in., 1660 in., 1662 in., 1664 in., 1666 in., 1668 in., 1670 in., 1672 in., 1674 in., 1676 in., 1678 in., 1680 in., 1682 in., 1684 in., 1686 in., 1688 in., 1690 in., 1692 in., 1694 in., 1696 in., 1698 in., 1700 in., 1702 in., 1704 in., 1706 in., 1708 in., 1710 in., 1712 in., 1714 in., 1716 in., 1718 in., 1720 in., 1722 in., 1724 in., 1726 in., 1728 in., 1730 in., 1732 in., 1734 in., 1736 in., 1738 in., 1740 in., 1742 in., 1744 in., 1746 in., 1748 in., 1750 in., 1752 in., 1754 in., 1756 in., 1758 in., 1760 in., 1762 in., 1764 in., 1766 in., 1768 in., 1770 in., 1772 in., 1774 in., 1776 in., 1778 in., 1780 in., 1782 in., 1784 in., 1786 in., 1788 in., 1790 in., 1792 in., 1794 in., 1796 in., 1798 in., 1800 in., 1802 in., 1804 in., 1806 in., 1808 in., 1810 in., 1812 in., 1814 in., 1816 in., 1818 in., 1820 in., 1822 in., 1824 in., 1826 in., 1828 in., 1830 in., 1832 in., 1834 in., 1836 in., 1838 in., 1840 in., 1842 in., 1844 in., 1846 in., 1848 in., 1850 in., 1852 in., 1854 in., 1856 in., 1858 in., 1860 in., 1862 in., 1864 in., 1866 in., 1868 in., 1870 in., 1872 in., 1874 in., 1876 in., 1878 in., 1880 in., 1882 in., 1884 in., 1886 in., 1888 in., 1890 in., 1892 in., 1894 in., 1896 in., 1898 in., 1900 in., 1902 in., 1904 in., 1906 in., 1908 in., 1910 in., 1912 in., 1914 in., 1916 in., 1918 in., 1920 in., 1922 in., 1924 in., 1926 in., 1928 in., 1930 in., 1932 in., 1934 in., 1936 in., 1938 in., 1940 in., 1942 in., 1944 in., 1946 in., 1948 in., 1950 in., 1952 in., 1954 in., 1956 in., 1958 in., 1960 in., 1962 in., 1964 in., 1966 in., 1968 in., 1970 in., 1972 in., 1974 in., 1976 in., 1978 in., 1980 in., 1982 in., 1984 in., 1986 in., 1988 in., 1990 in., 1992 in., 1994 in., 1996 in., 1998 in., 2000 in., 2002 in., 2004 in., 2006 in., 2008 in., 2010 in., 2012 in., 2014 in., 2016 in., 2018 in., 2020 in., 2022 in., 2024 in., 2026 in., 2028 in., 2030 in., 2032 in., 2034 in., 2036 in., 2038 in., 2040 in., 2042 in., 2044 in., 2046 in., 2048 in., 2050 in., 2052 in., 2054 in., 2056 in., 2058 in., 2060 in., 2062 in., 2064 in., 2066 in., 2068 in., 2070 in., 2072 in., 2074 in., 2076 in., 2078 in., 2080 in., 2082 in., 2084 in., 2086 in., 2088 in., 2090 in., 2092 in., 2094 in., 2096 in., 2098 in., 2100 in., 2102 in., 2104 in., 2106 in., 2108 in., 2110 in., 2112 in., 2114 in., 2116 in., 2118 in., 2120 in., 2122 in., 2124 in., 2126 in., 2128 in., 2130 in., 2132 in., 2134 in., 2136 in., 2138 in., 2140 in., 2142 in., 2144 in., 2146 in., 2148 in., 2150 in., 2152 in., 2154 in., 2156 in., 2158 in., 2160 in., 2162 in., 2164 in., 2166 in., 2168 in., 2170 in., 2172 in., 2174 in., 2176 in., 2178 in., 2180 in., 2182 in., 2184 in., 2186 in., 2188 in., 2190 in., 2192 in., 2194 in., 2196 in., 2198 in., 2200 in., 2202 in., 2204 in., 2206 in., 2208 in., 2210 in., 2212 in., 2214 in., 2216 in., 2218 in., 2220 in., 2222 in., 2224 in., 2226 in., 2228 in., 2230 in., 2232 in., 2234 in., 2236 in., 2238 in., 2240 in., 2242 in., 2244 in., 2246 in., 2248 in., 2250 in., 2252 in., 2254 in., 2256 in., 2258 in., 2260 in., 2262 in., 2264 in., 2266 in., 2268 in., 2270 in., 2272 in., 2274 in., 2276 in., 2278 in., 2280 in., 2282 in., 2284 in., 2286 in., 2288 in., 2290 in., 2292 in., 2294 in., 2296 in., 2298 in., 2300 in., 2302 in., 2304 in., 2306 in., 2308 in., 2310 in., 2312 in., 2314 in., 2316 in., 2318 in., 2320 in., 2322 in., 2324 in., 2326 in., 2328 in., 2330 in., 2332 in., 2334 in., 2336 in., 2338 in., 2340 in., 2342 in., 2344 in., 2346 in., 2348 in., 2350 in., 2352 in., 2354 in., 2356 in., 2358 in., 2360 in., 2362 in., 2364 in., 2366 in., 2368 in., 2370 in., 2372 in., 2374 in., 2376 in., 2378 in., 2380 in., 2382 in., 2384 in., 2386 in., 2388 in., 2390 in., 2392 in., 2394 in., 2396 in., 2398 in., 2400 in., 2402 in., 2404 in., 2406 in., 2408 in., 2410 in., 2412 in., 2414 in., 2416 in., 2418 in., 2420 in., 2422 in., 2424 in., 2426 in., 2428 in., 2430 in., 2432 in., 2434 in., 2436 in., 2438 in., 2440 in., 2442 in., 2444 in., 2446 in., 2448 in., 2450 in., 2452 in., 2454 in., 2456 in., 2458 in., 2460 in., 2462 in., 2464 in., 2466 in., 2468 in., 2470 in., 2472 in., 2474 in., 2476 in., 2478 in., 2480 in., 2482 in., 2484 in., 2486 in., 2488 in., 2490 in., 2492 in., 2494 in., 2496 in., 2498 in., 2500 in., 2502 in., 2504 in., 2506 in., 2508 in., 2510 in., 2512 in., 2514 in., 2516 in., 2518 in., 2520 in., 2522 in., 2524 in., 2526 in., 2528 in., 2530 in., 2532 in., 2534 in., 2536 in., 2538 in., 2540 in., 2542 in., 2544 in., 2546 in., 2548 in., 2550 in., 2552 in., 2554 in., 2556 in., 2558 in., 2560 in., 2562 in., 2564 in., 2566 in., 2568 in., 2570 in., 2572 in., 2574 in., 2576 in., 2578 in., 2580 in., 2582 in., 2584 in., 2586 in., 2588 in., 2590 in., 2592 in., 2594 in., 2596 in., 2598 in., 2600 in., 2602 in., 2604 in., 2606 in., 2608 in., 2610 in., 2612 in., 2614 in., 2616 in., 2618 in., 2620 in., 2622 in., 2624 in., 2626 in., 2628 in., 2630 in., 2632 in., 2634 in., 2636 in., 2638 in., 2640 in., 2642 in., 2644 in., 2646 in., 2648 in., 2650 in., 2652 in., 2654 in., 2656 in., 2658 in., 2660 in., 2662 in., 2664 in., 2666 in., 2668 in., 2670 in., 2672 in., 2674 in., 2676 in., 2678 in., 2680 in., 2682 in., 2684 in., 2686 in., 2688 in., 2690 in., 2692 in., 2694 in., 2696 in., 2698 in., 2700 in., 2702 in., 2704 in., 2706 in., 2708 in., 2710 in., 2712 in., 2714 in., 2716 in., 2718 in., 2720 in., 2722 in., 2724 in., 2726 in., 2728 in., 2730 in., 2732 in., 2734 in., 2736 in., 2738 in., 2740 in., 2742 in., 2744 in., 2746 in., 2748 in., 2750 in., 2752 in., 2754 in., 2756 in., 2758 in., 2760 in., 2762 in., 2764 in., 2766 in., 2768 in., 2770 in., 2772 in., 2774 in., 2776 in., 2778 in., 2780 in., 2782 in., 2784 in., 2786 in., 2788 in., 2790 in., 2792 in., 2794 in., 2796 in., 2798 in., 2800 in., 2802 in., 2804 in., 2806 in., 2808 in., 2810 in., 2812 in., 2814 in., 2816 in., 2818 in., 2820 in., 2822 in., 2824 in., 2826 in., 2828 in., 2830 in., 2832 in., 2834 in., 2836 in., 2838 in., 2840 in., 2842 in., 2844 in., 2846 in., 2848 in., 2850 in., 2852 in., 2854 in., 2856 in., 2858 in., 2860 in., 2862 in., 2864 in., 2866 in., 2868 in., 2870 in., 2872 in., 2874 in., 2876 in., 2878 in., 2880 in., 2882 in., 2884 in., 2886 in., 2888 in., 2890 in., 2892 in., 2894 in., 2896 in., 2898 in., 2900 in., 2902 in., 2904 in., 2906 in., 2908 in., 2910 in., 2912 in., 2914 in., 2916 in., 2918 in., 2920 in., 2922 in., 2924 in., 2926 in., 2928 in., 2930 in., 2932 in., 2934 in., 2936 in., 2938 in., 2940 in., 2942 in., 2944 in., 2946 in., 2948 in., 2950

glycerine (in the form of dynamite or otherwise) would require a force greater than to split a rock, and the rock yields. Gunpowder yields but 1-3 as much gas on exploding, and the complete combustion of its grains requires an appreciable amount of time. Nitroglycerine explodes all but instantaneously.

(25) W. B. asks: 1. Have Zamboni's dry piles ever been made of silver and zinc, and why do they not frequently make them so? A. We do not know that Zamboni's dry piles have ever been made of zinc and silver plates. Probably the reason why they are not made in this way is because an unnecessary amount of metal would be used; the silvered or tinned paper is found sufficient. 2. How long will they give an electrical current? A. They will give a feeble current which may last for years. 3. Can I do plating with Zamboni dry piles? A. No, the current is too slight. 4. Why must the gravity battery copper wire be enclosed in rubber or gutta percha? A. To prevent a short circuit.

(26) R. W. D. writes: I use the water pipes running through our house for a ground wire on a local telegraph wire. 1. Is there any danger of lightning doing any damage to the house? If so, what danger is there? A. If the wire connected with your water pipes is of sufficient size we think there is no danger; however, we advise the use of a lightning arrest. 2. How often should Callaud batteries working a telegraph wire on a closed circuit and never cut out, be cleaned? A. The Callaud battery, if properly cared for, will not need cleaning until the zinc is exhausted.

(27) R. W. R. asks for a recipe for making a good cheap mullage. A. Add British gum (dextrine) to a quantity of hot water until a sirupy liquid is obtained; then add a few drops of clove oil and cool for use. See also receipt on p. 347 (7), current volume.

(28) A. L. asks if there is anything that will stop (superfluous) hair from growing? A. See p. 75 (26), 91 (1), volume 39 of SCIENTIFIC AMERICAN.

(29) J. B. R. writes: I wish for a recipe for making water pens, the kind to dip in water in order to write. A. Moisten one of the soluble aniline blues or violets with thin gum water to form a paste, which will harden sufficiently on drying.

(30) E. E. G. asks: 1. Have paper wheels for cars ever been tried without a tire of iron or steel? A. No. 2. Are paper wheels now in use? A. Yes. 3. If so, where? A. On many railroads, including the Metropolitan Elevated in this city. 4. Have they iron tires? A. Yes, iron or steel. 5. How are the wheels fastened to the axle? A. By iron hubs or centers.

(31) R. H. & C. M. A.—We are offered an engine which has a cylinder 10 inches bore, 30 inch stroke, which we are recommended to use with 75 lb. steam as shown on gauge on boiler, and to make 150 revolutions per minute. By your rule for calculating horse power, this would seem to give us 894 horse power, which seems to us to be overrated. A. If the average pressure on the piston be 75 lb., your result is correct; but a deduction of say 15 per cent should be made for friction.

(32) R. D. B. asks: What length, thickness, and kind of charcoal ought to be used to produce an electric light on the plan as mentioned in SCIENTIFIC AMERICAN SUPPLEMENT, No. 162, page 2577, Fig. 29, equal to the light of two (4 foot) gas burners; and also how many batteries (Grenet style) with carbon plates 4x9 inches it would take to run said light? A. You will find the small pencils of carbon made expressly for electric lights, much better than charcoal. The pencil should be about 3-64 inch in diameter and $\frac{1}{2}$ to $\frac{3}{4}$ inch long. Eight cells of the size given should afford a fine light, but with the Grenet battery the light will be temporary.

(33) W. A. P. asks: 1. What is it that carriage makers use for setting the boxes in the hub with some kind of cement? A. The boxes are usually secured by wedges. We do not know of a cement that would answer the purpose. 2. What means will I use to get a fine finish on a buggy bed before varnishing: is it best to grind paint that I get in tin can, before using? A. After applying the several coats of paint, including the priming, the rough coat—which is rubbed down—and the final coats giving the color, apply a coat of good rubbing varnish, and when it becomes thoroughly dry, smooth and polish it first with finely pulverized pumice stone and water, and second with rottenstone and water. Finally apply a flowing coat of fine copal varnish.

(34) H. E. P. asks: Do dead centers ever occur in vertical, direct acting engines, or, in fact, any kind of a single engine, whether vertical or horizontal, with fly wheel or direct acting? A. The term dead center applies to all reciprocating engines; it is that exact point from which the direction of movement of the piston is changed, or that point where the pressure exerted upon the piston has no effect upon the rotating motion of the crank and shaft. The set of valves, point of cut off, or any other of the details of the arrangement of the engine, have nothing to do with it.

(35) T. G. asks (1) what the so-called fire kings use to rub on their skin to protect them from being burnt with the red hot iron they use in their performances. A. Water alone is commonly used, we believe. 2. What is the composition of aqua vitae or water of life? A. Aqua vitae—brandy, spirit, alcohol.

(36) C. W. asks: 1. What size and how much wire will I need in each spool to make an electrical gyroscope, as illustrated in SCIENTIFIC AMERICAN, No. 22, volume 38, and what length and thickness of core? A. The dimensions of the gyroscope referred to are as follows: Diameter of wheel, $2\frac{1}{2}$ inches; rim, 5-16 inch square; diameter of magnet cores, $\frac{1}{4}$ inch; length of magnet cores, 1 inch; between centers of magnet cores, $\frac{1}{4}$ inch; width of armature, $\frac{1}{4}$ inch; thickness of armature, $\frac{1}{4}$ inch; magnets wound with 6 layers No. 30 silk covered wire. 2. How much battery is necessary to work the same? A. 4 Bunsen cells in good order will run it, but 6 cells would be better. 3. Will ordinary zinc and copper cell do, of one quart capacity? A. Yes, but it will require from 12 to 15 of them. 4. Can I use a pair of Bell telephones for microphone experiments, by substituting a soft iron core in place of magnets? A. Yes. 5. How much battery will I need to work a line any of less than 500 yards in length? A. 2 or 3 Fuller cells.

(37) D. C. W. asks how to clean grave-stones without acid. A. Use stiff wire brushes of different sizes, and plenty of water.

(38) J. H. asks what are the uses of mica, and what is its value. A. Clear sheet mica is chiefly used for lights in the doors of stoves and furnaces, for lanterns, lamp chimneys, and transparencies, and in the manufacture of various toys, etc. Put up in pound packages it sells for from 40 cents to \$2.75 per pound, according to size and quality of the sheets. Untrimmed sheets are generally unmerchantable. It has been used successfully for roofing purposes.

MINERALS, ETC.—Specimens have been received from the following correspondents, and examined, with the results stated:

J. J. K.—1. Gypsum—sulphate of lime—used for manufacturing plaster of Paris and as a fertilizer. 2. The fragments are probably of meteoric origin.

COMMUNICATIONS RECEIVED.

On Patent System. By J. W.
On the Hypothesis. By T. F.
On Smoking Coffee for Consumption. By T. H. K.
On Yellow Fever Manual and Squaring the Circle. By A. J. M. T. O. C.
On the License System. By J. H.
On Ventilation. By C. J. B.
A Mechanic's Theory of the Solar System. By W. W.

(OFFICIAL)

INDEX OF INVENTIONS

FOR WHICH

Letters Patent of the United States were
Granted in the Week Ending

May 27, 1879.

AND EACH BEARING THAT DATE.
[Those marked (r) are reissued patents.]

Amalgamator, I. M. Phelps..... 215,970
Auger, W. Heyn..... 215,744
Bag fastener, A. Gleason..... 215,736
Bale tie, A. Gates..... 215,909
Bale tie, J. S. Kennedy..... 215,755
Balling press, J. Wohl..... 215,854
Basin, wash, G. W. Dean..... 215,891
Basin cleaner, wash, J. L. Hutchinson..... 215,928
Bed, spring, C. T. Segar..... 215,981
Bedstead, wardrobe, E. E. Everitt..... 215,727
Billiard cue rest, T. Watson..... 215,848
Boot, C. H. Colburn..... 215,794
Boot and shoe heel plate, S. C. Swett..... 215,839
Boot and shoe toe stretcher, W. Nagle..... 215,959
Bottle cage, Williams & Greenwood..... 215,832
Bottle cork fastener, T. H. Shahan..... 215,838
Bracelet, self-adjusting, W. A. L. Miller..... 215,956
Braid package clasp, D. & D. L. Goff (r)..... 8,725
Bran packer, J. E. Belt..... 215,787
Brick, etc., burner, J. & C. J. Foster..... 215,904
Brick burning kiln, E. G. Kemper..... 215,906
Brick machine, T. B. Craycroft..... 215,886
Buckle, Welden & Royce..... 215,005
Buckle, trace, A. McMullen..... 215,829
Butter and egg package, S. McHenry..... 215,953
Butter case, refrigerating, E. Slocum..... 215,984
Butter mould, W. S. Alexander..... 215,856
Butter package, W. W. Rodgers..... 215,775
Button and stud, C. G. Bloomer..... 215,858
Button card, J. Thornton..... 215,922
Calendar support, Pruyn & Hyatt..... 215,974
Candle, electric, J. B. Fuller..... 215,733
Carding machine cleaner, P. Hauser..... 215,920
Carpet fabric, W. Wallace..... 215,929
Carriage, child's, J. W. T. Huke..... 215,927
Caster, S. Vanstone..... 215,906
Casting hubs, mould for, V. Price..... 215,772
Casting ornamental figures, composition for, A. Kiesele..... 215,757
Chain, driving, G. Vickers..... 215,907
Chair leg tenoner, F. F. Parker..... 215,707
Chair seat and back, Heywood & Watkins..... 215,923
Churn, W. L. Allegree..... 215,857
Churn, M. R. Wheelchel..... 215,800
Churn dasher, S. K. Warren..... 216,000
Cider mill, Marsh & Brandt..... 215,900
Cigar package, M. W. Prager..... 215,973
Clay grinder and mixer, J. M. Kennedy..... 215,754
Clocks, making wires and arbors of lock work for striking, F. A. Lane..... 215,739
Cocks, operating stop, P. Connolly..... 215,893
Coin assorter, A. S. Tyler..... 215,846
Coin package, W. V. Brigham..... 215,788
Copying press, W. L. Imlay..... 215,830
Cotton and hay press, J. E. Hawkins..... 215,817
Crochet needle, W. Ross..... 215,979
Cultivator, O. A. Crain..... 215,985
Cultivator, W. Jones..... 215,901
Curtain fixture, C. Cretors..... 215,809
Dental hand piece, H. D. Justl..... 215,932
Desk, A. De Bary..... 215,861
Desulphurizer, A. M. Phelps..... 215,971
Diamonds, mounting, L. Taverdon..... 215,840
Dish washer, L. Warren..... 216,001
Distilling petroleum, process and apparatus for, J. L. Kirk..... 215,755
Distiller, wood, A. Knobloch..... 215,940
Door check, J. P. Ellacott..... 215,900
Door sheave, rolling, J. B. Townsend..... 215,930
Doubling and winding machine, T. Unsworth..... 215,925
Easel, F. S. Frost..... 215,731
Eave trough, C. W. Hauke..... 215,740
Egg packing box, I. Karel..... 215,933
Electric lighter, Cointepas & Rouchel..... 215,722
Electrical switch wires to binding posts, attaching, J. E. Hamilton..... 215,917
Electroplater, H. & H. W. Lovejoy et al (r)..... 8,726
Envelope, A. Christy..... 215,793
Envelope or double postal card, L. H. Rogers..... 215,776
Fan, automatic, F. Rothenbach..... 215,975
Farm gate, W. Claypool..... 215,882
Farm gate, automatic, L. Ferguson..... 215,814
Farm gate support, S. G. Holyoke..... 215,925
Faucet joint, N. Spofford..... 215,967
Fence, J. W. Legore..... 215,835
Fence wires, machine for barbing, E. P. Peacock..... 215,769
Fencing, barb for wire, J. S. Crowell..... 215,808
Filter, E. W. Kidney..... 215,938
Firearm, G. W. Cilley..... 215,721
Fire escape, E. M. Ball..... 215,713
Flywheel, G. H. Corliss..... 215,805

Fruit drier, McDowell & Ewell..... 215,952
Furnace for reducing oxide ores, C. M. Dupuy..... 215,730
Galvanic battery solution, C. A. Ehrenberg..... 215,869
Garbage cremating furnace, W. J. Morris..... 215,937
Gas apparatus for the production of illuminating, C. Marchand..... 215,949
Gas works, jet exhauster for, J. S. Connelly..... 215,723
Gate, J. A. Kneckerhooker..... 215,758
Glass jar mould, J. N. Bodine..... 215,809
Glassware finisher, H. S. McKee..... 215,761
Glove, A. Harris..... 215,738
Grain conductor, J. F. Lenox..... 215,760
Grain drill fertilizer attachment, C. P. Bechtelle..... 215,904
Grain drill fertilizing attachment, D. F. Hull..... 215,748
Grain transferer, J. T. Hough..... 215,818
Gridiron, J. M. Adams..... 215,711
Guard finger, J. O. Brown..... 215,759
Hame fastener, H. N. Beam..... 215,892
Harrow, S. F. Reynolds..... 215,975
Harrow, sulky, G. W. Riley..... 215,774
Harvester rake, C. Liden (r)..... 8,727
Hats, ventilating, Waddell & Sample..... 215,998
Hay rack, C. Graham..... 215,914
Hay rake, horse, W. S. Archer..... 215,734
Hay rake, horse, W. C. Kingsnorth..... 215,939
Hay ricker and stacker, B. F. Jones..... 215,900
Hides, machine for ascertaining the area and weight of, D. T. Winter..... 215,853
Hoe, J. Gilmer..... 215,735
Holdback, vehicle, R. T. Barton..... 215,714
Hop pole puller, B. G. Chapman..... 215,730
Horse clothing, J. C. Simpson..... 215,983
Horse detacher, J. Carr..... 215,879
Horse detacher, R. H. Oakes..... 215,961
Horse detacher, W. H. Petros..... 215,965
Horseshoe, Moebis & Landsneider..... 215,764
Horseshoe nail forger, L. S. Parre..... 215,768
Hose coupling, car, F. Woodbridge..... 216,010
Hub, vehicle wheel, J. I. Healey..... 215,741
Hydraulic elevator, H. Snowden..... 215,985
Hydro-pneumatic engine, C. Fisher..... 215,902
Incense coal, compound for, E. W. J. Lindesmith..... 215,945
Injector, Fulton & Proeger..... 215,906
Injector and ejector, J. H. Irwin..... 215,821
Instrument case and dental engine, combined, B. M. Wilkerson..... 215,851
Invalid chair, adjustable, F. Bohser..... 215,871
Knitting machines, knocking over bit for, W. D. Ormsby..... 215,903
Labels, pictures, etc., machine for varnishing, gumming, and sizing, J. T. Turner..... 215,845
Ladder hook, adjustable, D. P. Foster..... 215,729
Ladder, platform, A. J. Andrews..... 215,712
Lamp, E. Blackman..... 215,867
Lamp, E. M. Lowden (r)..... 8,729
Lamp attachment, L. W. Peck..... 215,964
Lamp bracket, H. R. Mills..... 215,955
Lamp chimney, C. L. & C. Bartholomew..... 215,785
Lamp chimney, globe, J. H. White..... 216,007
Lamp, electric, W. Gilman..... 215,910
Lamp shade, P. K. Guild..... 215,816
Lasting machine, Copeland & Woodward..... 215,736
Lathe, grinding, C. Fest..... 215,901
Lawn sprinkler and hose reel, E. L. Abbott..... 215,709
Leaves, constructing, M. C. Lawton..... 215,943
Lifting handle, W. H. Hart..... 215,739
Line holder, J. J. W. Wilson..... 216,008
Load binder, Heller & McDaniel..... 215,746
Mall bag dropper, Braucher & Sindorf..... 215,873
Mashing grain, apparatus for, J. A. Eberhardt..... 215,811
Mash tub, G. Young..... 216,011
Measure and funnel, G. W. Shaw..... 215,982
Mechanical movement, T. W. Eaton..... 215,810
Mechanical movement, C. Tyson..... 215,778
Metal bar reducer, G. J. Capewell..... 215,719
Metal shearing machine, C. A. & L. K. Williams..... 215,780
Microscope, W. H. Balloch..... 215,878
Milk cooler, Ford & Butler..... 215,903
Milk pan, C. C. Fairbank..... 215,812
Milk setter, F. G. Butler (r)..... 8,724
Moth proof for case, C. M. Parker..... 215,885
Motion converter, R. P. Bowdoin..... 215,872
Mowing and reaping machine, G. O. S. Conway..... 215,724
Musical instrument, mechanical, E. P. Needham..... 215,851
Nut lock, G. W. Rhines..... 215,836
Nut lock, J. D. Van Benthuyzen..... 215,779
Oil, etc., can for, J. D. Pierce..... 215,771
Oils for illumination, heavy hydrocarbon, R. S. Merrill (r)..... 8,728
Ore pulverizer, I. M. Phelps..... 215,906
Ore pulverizer and separator, A. Goodhart..... 215,912
Ore roaster, revolving, D. W. Brunton..... 215,877
Organs, pedal attachment for reed, G. B. Kelly..... 215,822
Orrery, A. Mang..... 215,948
Oven, domestic, J. Watson..... 216,003
Pails, removable cover or front for, Mayo & Atkinson..... 215,828
Paper box cover machine, M. F. Wilson..... 216,003
Paper machines, automatic feed for, J. T. F. Macdonnell..... 215,946
Paper pulp from wood, making, W. E. Farrell..... 215,728
Paper vessel, W. C. Ritchie..... 215,976
Pen, fountain, L. W. Fairchild..... 215,913
Pen, fountain, G. Wells..... 216,004
Pianoforte action, G. O. V. Roedern..... 215,977
Picture, A. F. Craig..... 215,725
Pittman connection and crank pin, D. H. Cooper..... 215,735
Plating machine, J. H. Brown..... 215,793
Planter, corn, W. W. Goodwin..... 215,913
Planter, corn, Taylor & Rice..... 215,951
Plaster and pad, R. M. Kennedy..... 215,997
Plow, E. O. Beach..... 215,715
Plow, sulky, T. E. Jefferson..... 215,929
Plows or harrows, farm truck or draught attachment for, M. Harris..... 215,918
Polisher, tumbling, J. W. Hyatt..... 215,751
Porcelain, box and cover for firing decorated, E. M. Ford..... 215,815
Post driver, W. A. Newton..... 215,832
Printing, autographic, W. T. Howard..... 215,926
Printing machine sheet deliverer, S. D. Tucker..... 215,844
Printing surfaces, embossing metal for, A. C. & G. R. Carey..... 215,792
Propulsion of vessels, pneumatic, R. H. Tucker..... 215,842
Puddling furnace, I. Beauland..... 215,863
Pulp, making wood, C. B. Carter..... 215,890
Pump, C. G. Grove..... 215,737
Pump plunger, G. H. Corliss..... 215,801
Pump, submerged, J. M. May..... 215,951
Pump valve, G. H. Corliss..... 215,800
Pumping engine, steam, G. H. Corliss..... 215,802
Pumping engine, G. H. Corliss..... 215,803
Punch, leather cutting, B. Bobonon..... 215,870
Quartz crusher, I. M. Phelps..... 215,968
Radiator, steam, J. T. Kelly..... 215,823
Rail joint, E. P. Hyatt..... 215,819
Railway switch, S. B. Nickum..... 215,900
Railway track, portable, M. Pesant..... 215,770
Refrigerator, J. P. Ast..... 215,839
Ribbon clasp or clip, C. G. Hubert..... 215,747
Rivet, tubular, B. L. D'Abugno..... 215,889
Roll for forming metal articles, G. J. Capewell..... 215,718

Roller and pulverizer, G. Meding..... 215,954
Roofing, metallic, L. Struble..... 215,989
Rotary engine, H. Campbell..... 215,717
Sad iron, Williams & Warren..... 215,781
Sad iron and fluting roller, C. J. Kramer..... 215,941
Saddle tree, gig, J. B. Gathright..... 215,734
Sauce, making solidified, J. A. Liebert..... 215,944
Sash fastener, F. H. Glascock..... 215,911
Sawing box stuff, machine for, J. Du Bois..... 215,897
Sawing machine, drag, J. K. Alters..... 215,850
Scale beam, J. R. Linen..... 215,806
Sewer gas stopper, C. Y. Wemple..... 216,006
Sewer pipe, P. McMaekin..... 215,947
Sewing machine, J. A. True..... 215,841
Shade supporter, S. H. Miller..... 215,703
Shafting coupler, W. T. Masters..... 215,762
Sheet metal can seam, E. Norton..... 215,766
Shingle bolts, mill for sawing, J. Du Bois..... 215,808
Ship's hull, R. H. Tucker..... 215,904
Shirt front or dickey, G. C. Henning..... 215,743
Shoe clasp, King & Hammond..... 215,824
Shoes, button hole for, W. F. Hill..... 215,745
Sickle, etc., holder, H. E. Fuller..... 215,732
Sink valve, Crossman & Somes..... 215,887
Skate, roller, L. B. Jackson, Jr..... 215,752
Skid, W. H. Dooty..... 215,895
Sled, R. T. Ogden..... 215,967
Sled propeller, R. Steel..... 215,988
Smoke and dust excluder, J. E. Driesbach..... 215,896
Snow plow, J. M. Baldwin..... 215,860
Spinning machine spindle, D. Kelley..... 215,905
Spooling guide, C. Sullivan..... 215,900
Spools, thread fastening on, W. E. Barrows..... 215,796
Stall for vessels, cattle, B. Albee..... 215,855
Stamp, canceling and dating, W. J. Blackwell..... 215,802
Stamp mill cam, J. Scott..... 215,960
Steam boiler, tubular, G. H. Corliss..... 215,798
Steam engine beam, G. H. Corliss..... 215,808
Steam engine, compound, G. H. Corliss..... 215,799
Steam engine cylinder, G. H. Corliss..... 215,807
Steam generator, M. J. O'Reilly..... 215,834
Steamer and drier, grain, L. Hartson..... 215,919
Stencils, producing autographic, S. S. Nickerson..... 215,823
Stirrup, saddle, P. A. De La Nux..... 215,942
Stool, D. B. Reynolds..... 215,773
Stove, cooking, J. B. Long..... 215,877
Stove, heating, J. P. Clark..... 215,881
Stove, heating, M. Helbling..... 215,742
Stoves, long center and reservoir cover for, S. R. Burton et al..... 215,716
Straw cutter, J. Dick, Jr..... 215,804
Sublimating apparatus, L. M. Phelps..... 215,909
Surf boat, R. H. Tucker..... 215,840
Surveying instrument, I. Humphrey..... 215,749
Swine holder, W. L. Pitts..... 215,973
Tag fastener, F. Morris..... 215,755
Tapping pipe fittings, machine for, D. Ackerman..... 215,710
Teaching arithmetic, device for, S. P. Halleck..... 215,916
Teeth, artificial, J. W. Holt..... 215,924
Telephone switch, H. L. Roosevelt..... 215,857
Tether, Fox & Cottrell..... 215,730
Thill coupling, H. F. Gaines..... 215,907
Thill coupling, R. W. Hawes..... 215,921
Thrust block, J. S. Wilson..... 215,782
Tile moulding for holding tiles, C. A. Wellington..... 215,849
Time lock, T. Shaw..... 215,777
Toy pistol, J. M. Keep..... 215,904
Tumbling rod knuckle, C. Q. Hayes..... 215,922
Umbrella frame, J. Miniere..... 215,830
Valve gear, steam engine, G. H. Corliss..... 215,797
Valve, steam engine exhaust, G. H. Corliss..... 215,806
Vapor burner, Z. Davis..... 215,830
Vehicle dashboard, B. J. Warden..... 215,920
Vehicle spring, Spalding & Wiede..... 215,996
Velocipede, J. E. Browne..... 215,876
Vener sander and smoother, W. Gardner..... 215,938
Vent, automatic air, J. P. Gruber..... 215,915
Ventilator, L. R. Budham..... 215,794
Ventilator, L. J. Wing..... 215,793
Wagon, beer, J. G. Unsoeld..... 215,847
Wagon, buck board, A. Morse..... 215,964
Wash board, F. Frelich..... 215,905
Weather strip, I. Bennett..... 215,865
Weather strip, H. L. Hyre..... 215,750
Wind engine, J. W. Kelsey..... 215,753
Windmill, J. Desjardins..... 215,902
Wire drawing, lubricating material for use in, A. B. Brown..... 215,825
Yoke coupling for vehicles, neck, S. Brown..... 215,874

TRADE MARKS.

Capsuled medicine, S. Limousin..... 7,571
Cigars, cigarettes, smoking and chewing tobacco, Goodwin & Co..... 7,570
Cigars, cigarettes, smoking and chewing tobacco, and snuff, H. Welsh..... 7,562
Cigars, cigarettes, and smoking tobacco, Stratton & Storm..... 7,553, 7,554, 7,564
Dyspepsia cure, J. C. D. Curtis..... 7,569
Fertilizing compositions or compounds, The Chesapeake Guano Company..... 7,555
Flour, Rolston, Hall & Co..... 7,567
Flour, Thomas & Co..... 7,575
Kerosene oil, R. W. Forbes..... 7,573
Lard, W. J. Wilcox & Co..... 7,568
Laundry soap, Allison Brothers..... 7,572
Linent, F. F. Brailard..... 7,562
Lotions for the skin and hair, A. A. Heaton..... 7,561
Petroleum for illuminating and lubricating purposes, Mather Brothers..... 7,552
Pills for cure of chills and fever, W. W. Brownfield..... 7,565
Preparation of corn starch, A. Erkenbrecher..... 7,559
Smoking tobacco, J. R. Day & Bro..... 7,561
Starch for laundry use, A. Erkenbrecher..... 7,558, 7,560
Skirt braid, S. B. & M. Fielsher..... 7,566
Trenches or lotenges, Hall & Hodgman..... 7,574
Wax or mining candles, W. T. Coleman & Co..... 7,563
Wood barrels, kegs, well buckets, and pails, J. F. Vogt & Bro..... 7,564

DESIGNS.

Billiard table, H. W. Collender..... 11,339, 11,340
Carpet, W. McCallum..... 11,314
Combined rose and escutcheon, G. S. Barkentin..... 11,313
Dish handle, S. Stevens..... 11,337
Door knob, G. S. Barkentin..... 11,335
Gimp, J. H. Thorp..... 11,315
Handles of spoons and forks, W. C. Beattie..... 11,312
Ornamental chain, W. T. Chamberlain..... 11,311
Rubber mats, G. Woffenden..... 11,328
Stands for sad iron, etc., L. & W. H. Berger..... 11,320

English Patents Issued to Americans.

From May 30 to June 3, inclusive.

Filtering machine, G. C. W. Belcher, St. Louis, Mo.
Gas burner attachment, W. W. Bachelder, N. Y. city.
Grain blenders, F. Randall, Mich.
Tramway cars, J. Stephenson, New York city.

Advertisements.

Inside Page, each insertion --- 75 cents a line.
Back Page, each insertion --- \$1.00 a line.
(About eight words to a line.)
Engravings may be inserted at the same rate
per line, by measurement, as the letter press. Adver-
tisements must be received at publication office as early
as Thursday morning to appear in next issue.

THE

Hancock Inspirator.

ADDITIONAL TESTIMONY.

MINERVA, O., November 18th, 1878.
Messrs. FAIRBANKS, MOORE & CO., Pittsburgh, Pa.:
Gents: In regard to the "Hancock Inspirator," we
would say that we have been using a No. 10 for the last
three months, to supply our boiler, which is 16 feet long
and 32 inches in diameter. The Inspirator lifts the water
22 feet and forces it 3 feet into the boiler, and does not
require more than 30 lb. steam pressure. It does not
use as much steam as a pump, and if the water happens
to be low at night when we get through, we just let the
little fellow run, and by the time the steam is run down
our boiler is full enough. Yours truly,
T. D. YOST, Pioneer Planing Mills, Minerva, O.

Illustrated and descriptive catalogues sent on appli-
cation to

Hancock Inspirator Co.,
52 CENTRAL WHARF,
BOSTON, MASS.



The attention of Architects, Engineers, and Builders
is called to the great decline in prices of wrought
STRUCTURAL IRON.
It is believed that, were owners fully aware of the small
difference in cost which now exists between iron and
wood, the former, in many cases, would be adopted,
thereby saving insurance and avoiding all risk of inter-
ruption to business in consequence of fire. Book of de-
tailed information furnished on application.

PAINTING. The Combined Stripping Tool and
Alphabet Seal can be used for
stripping walls, ceilings, panels,
etc., by any one. The Seal shows
at a glance the exact proportions and space of the differ-
ent alphabets. Price, \$1. Patent Veneers for grainers
or learners, 75 cts. a set. JAS. E. HAMMOND, Manuf.,
New Shoreham, R. I. Good Agents desired.

A LIGHT TRANSPARENT SATIN FINISH WATER-
proof. Producing the most magnificent surface. De-
velops colors heretofore unequalled. DORMAN MFG
CO., New York.

BUSINESS OPPORTUNITY.
\$15,000 will buy an established and paying manufactur-
ing business. Address "Administrator," Newark, N. J.

**THE FORSTER-FIR-
MIN GOLD AND SILVER
AMALGAMATING COMPY**
of Norristown, Pa., will grant
state rights or licenses on
easy terms. This system
works up to assay, and re-
covers the mercury rapidly.
Apply as above.

TO MANUFACTURERS.—WANTED—
Some good firm to make and sell on royalty a valuable
and salable patent, suitable for the hardware trade.
Patent allowed April 30th, 1879. For particulars, address
J. M. GLEICHMAN, Stuart, Iowa.

**STEAM FIRE ENGINES (15 made) AND
JACKET HOSE** (patented for Sweden) of the best
quality, to be had of J. W. MALMBERG,
May, 1879. Stockholm (Sweden).

LIGHT DRAUGHT, FAST, STERN
Wheel, Steam Yachts. These yachts are 34 feet long, 8
feet 2 inches beam; draught, 16 inches; speed, 7 miles
an hour. Designed under direction of Col. F. W. Farqu-
har, U. S. A., by M. Meigs, U. S. Civil Engineer, U. S.
Works, Rock Island, Ill. With working drawings, dimen-
sions, and particulars of vessel, engine, boiler, and
wheel, furnished by the author. The serviceable
character of these boats, their simplicity of construction,
roominess, and light draught render them very
desirable, especially for shallow waters. Contained
in SCIENTIFIC AMERICAN SUPPLEMENT No. 179.
Price 10 cents. To be had at this office and of all news-
dealers.

Baker Rotary Pressure Blower.
(FORCED BLAST.)
Warranted superior to any
other.
WILBRAHAM BROS.
2318 Frankford Ave.
PHILADELPHIA

**STEAM ENGINE
AND BOILERS,**
Wood and Iron Working Machinery.
(Send for circular.)
GEO. M. CLAPP, BELCHER & BAGNALL,
Manager, Warehouses:
40 Cortland Street, N. Y.

LADIES can make \$5 a day in their own city or town.
Address ELLIS MFG CO., Waltham, Mass.

WHEELER'S PATENT WOOD FILLER
fills the pores of wood perfectly, so that a smooth finish
is obtained with one coat of varnish. Send for circular.
Mention this paper. BRIDGEPORT WOOD FINISH-
ING CO., 40 Bleecker Street, New York.

PERFORATED METALS.
IRON, COPPER, BRASS, OR ZINC PLATES,
50 in. wide, 1-16 in. thick, or less, any lengths.
LIDGERWOOD MFG. CO., 56 Liberty St., New York.

PATENTED ARTICLES, MACHINES,
etc., manufactured in France according to the Laws by
the Societe Anonyme pour l'Exploitation de Brevets,
11 Rue de Valenciennes, Paris. References: Mackay
Sewing Machine Association, Boston, Mass.

THE WEEKLY SUN,

A large Eight Page Sheet of Fifty-
six broad Columns, will be sent,
Post Paid, to any Address, till Jan.
1, 1880,
FOR HALF A DOLLAR.

Address THE SUN, New York City.

TOOL DEPOT. SMALL TOOLS, LATHES &
FOR MACHINISTS, CARPENTERS, AMATEURS &
EVERY BRANCH OF MECHANICAL TRADE SEND FOR
CATALOGUE, TALLMAN & FADEN, PHILADELPHIA.

Pond's Tools,
Engine Lathes, Planers, Drills, &c.
DAVID W. POND, Worcester, Mass.
EDMUND DRAPER,
Manufacturer of First-class Engineers' Instruments.
Established in 1830. 226 Pear St., Phila., Pa.

"The 1876 Injector."
Simple, Durable, and Reliable. Requires no special
valves. Send for illustrated circular.
WM. SELLERS & CO., Phila.

Small Tools of all kinds: GEAR WHEELS, parts of
MODELS, and materials of all kinds. Catalogues free.
GOODNOW & WIGHTMAN, 175 Wash'n St., Boston, Mass.

Shafts, Pulleys, Hangers, Etc.
Full assortment in store for immediate delivery.
WM. SELLERS & CO.,
79 Liberty Street, New York.

OUTWARD MARKS OF A GOOD COW.
By Capt. JOHN C. MORRIS, Pa. Carelessness in Breed-
ing. How to Select for Breeding. Marks of the Head,
some Cow. Care and Training of the Heifer. Infal-
lible Marks of Good Milkers. Distinguishing Marks and
Characteristics of the "Bastard" and the "Bogus"
Cow, etc. Contained, with useful Remarks on Bee
Culture, in SCIENTIFIC AMERICAN SUPPLEMENT No.
135. Price 10 cents. To be had at this office and of all
newsdealers.

BLAKE'S STONE AND ORE BREAKER AND CRUSHER.
For breaking hard and brittle substances to any size. Endorsed by the leading Mining,
Manufacturing, and Railroad corporations in the United States and Foreign Countries.
First Premium wherever exhibited, and hundreds of testimonials of the highest character.
A NEW SIZE FOR PROSPECTING AND LABORATORY USE.
ALL STONE CRUSHERS not made or licensed by us, containing vibratory convergent jaws
actuated by a revolving shaft and fly-wheel, are infringements on our patent, and makers and
users of such will be held accountable. Address
BLAKE CRUSHER CO., New Haven, Conn.

THE
Scientific American, Export Edition.
PUBLISHED MONTHLY.

The Scientific American, Export Edition, is a
large and splendid periodical, issued once a month,
forming a complete and interesting monthly record of
all Progress in Science and the Useful Arts throughout
the World. Each number contains about one hundred
large quarto pages, profusely illustrated, embracing
(1.) Most of the plates and pages of the four preceding
issues of THE SCIENTIFIC AMERICAN, with its splendid
engravings and valuable information. Every
number has from seventy-five to one hundred new en-
gravings, showing the most recent improvements and
advances in Science and the Industrial Arts.
(2.) Prices Current, Commercial, Trade, and Manu-
facturing Announcements of Leading Houses. In con-
nection with these Announcements many of the Principal
Articles of American Manufacture are exhibited to
the eye of the reader by means of splendid engrav-
ings; the whole forming an elegantly printed Standard
Catalogue, or Permanent Directory, of the Latest and
Best American-made Goods, always under the eye of
the foreign buyer, constantly influencing his preferences
and purchases.

The Scientific American, Export Edition, has
a large guaranteed circulation in all the prin-
cipal Cities and Commercial Centers of the World.
It is regularly received and filed for public ex-
amination by nearly all U. S. Consuls. Go into
almost any American Consulate in any quarter of
the globe, and the objects of greatest interest there to
be found are the numbers of THE SCIENTIFIC AMER-
ICAN. Foreign Merchants, Buyers of Goods, and
others are always referred by the Consular Officials
to the pages of this Journal, as containing the most re-
liable and complete announcements of the latest Ameri-
can Goods and Manufactures. THE SCIENTIFIC AMERICAN
is also on file in the Principal Cafes, Club Rooms, and
Exchanges. Among the regular subscribers for THE
SCIENTIFIC AMERICAN, Export Edition, are leading
Commercial Houses in foreign cities, Engineers, Direc-
tors of Works, Government Officials, and other promi-
nent influential persons. Regular files of this
paper are also carried on all the principal lines of
STEAMSHIPS, foreign and coastwise, leaving the port
of New York.

No export publication sent from the United States
reaches so many readers as THE SCIENTIFIC AMERICAN,
Export Edition. It is by far the most splendid, satisfac-
tory, and superior Export Journal ever brought before
the public. Its pages are so arranged as to permit the pub-
lication, at very low prices, of large and handsomely
displayed advertisements of American Goods
and Manufactures, with Engravings, which
are always attractive to foreign purchasers.

THE SCIENTIFIC AMERICAN, Export Edition, already
enjoys the advertising patronage of many of the
Great Manufacturing Establishments of this Country,
who send it to their UNITED STATES MEDIUM FOR SEC-
URING NEW ORDERS AND EXTENDING TRADE.

If you wish to increase your business, try a
handsome advertisement for one year, continuously, in
THE SCIENTIFIC AMERICAN, Export Edition. Rates,
who send it to their UNITED STATES MEDIUM FOR SEC-
URING NEW ORDERS AND EXTENDING TRADE.

Published about the 20th of each month.
Single numbers of THE SCIENTIFIC AMERICAN, Export
Edition, 50 cents. To be had at this office and at all the
news stores. Subscriptions, Five Dollars a year, sent,
postpaid, to all parts of the world.

MUNN & CO., PUBLISHERS.
37 PARK ROW, NEW YORK.

THE BEST STEAM PUMP in AMERICA
More than 4500 in use.
Send for reduced Price List.
Deane Steam Pump Works
92 & 94 LIBERTY ST.,
NEW YORK.
Made by HOLYOKE MACHINE CO.

STEAM PUMPS.

HENRY R. WORTHINGTON,

239 Broadway, N. Y. 83 Water St., Boston.
THE WORTHINGTON DUPLEX PUMPING ENGINES FOR
WATER WORKS—Compound, Condensing or Non-Con-
densing. Used in over 100 Water-Works Stations.
STEAM PUMPS—Duplex and Single Cylinder.

Price list issued Jan. 1, 1879,
with a reduction exceed-
ing 30 per cent.

WATER METERS. OIL METERS.

NATIONAL BOLT & PIPE MACHINERY CO.
MFRS. OF HAND & POWER BOLT & PIPE CUTTER, BOLT
POINTERS, BOLT HEADERS, HOT & COLD PRESSED NUT MACHIN-
ERY, TAPS & DIES, &c. SEND FOR CIR. CLEVELAND, O.

**THE FOSSIL FORESTS OF THE YEL-
LOWSTONE NATIONAL PARK.** By W. H. Holmes. A
very interesting and valuable paper descriptive of the
remarkable "Volcanic Tertiary" formations of the
above region, 5,200 feet in thickness. Illustrated by an
engraving of the north face of Amethyst mountain,
9,400 ft. high, the river bed 6,500 ft. high, showing the
position of the multitudes of ancient forest tree trunks
of gigantic size, turned into stone and now standing on
the cliffs, together with many other interesting geologi-
cal particulars. Contained in SCIENTIFIC AMERICAN
SUPPLEMENT No. 180. Price 10 cents. To be had at this
office and of all newsdealers.

STEAM PUMPS Wright's Pat. Bucket
Plungers are the best.
VALLEY MACHINE CO.
Easthampton, Mass.

SCIENTIFIC AMERICAN SUPPLEMENT.
Any desired back number of the SCIENTIFIC AMERICAN
SUPPLEMENT can be had at this office for 10 cents. May
also be had or ordered through booksellers and news-
dealers everywhere. MUNN & CO., Publishers,
37 Park Row, New York.

WOODWORTH SURFACE PLANERS. Planers
and Matchers, \$50. S. C. HILLS, 75 Chambers
Street, New York.

**THE BEST!
THE HAGERSTOWN DRILL.**
The most reliable and success-
ful GRAIN DRILL in use—can
change quantities of seed while
in motion—the STANDARD FER-
TILIZING DRILL of the Middle
States, strong, durable, and
simple, with our GUM SPRING
HOE AND GRASS SEED AT-
TACHMENT. Manufacturers of the CELEBRATED VICTOR
DOUBLE HULLER CLOVER MACHINE, the Best in
the World. Manufactured by HAGERSTOWN AGRI-
CULTURAL IMPLEMENT CO., Hagerstown, Md.

PROSPECTUS
OF THE
Scientific American
FOR 1879.
The Most Popular Scientific Paper in the World.

VOLUME XL.—NEW SERIES.

The publishers of the SCIENTIFIC AMERICAN beg
to announce that on the Fourth day of January, 1879,
a new volume will be commenced. It will continue to be
the aim of the publishers to render the contents of the
new volume as, or more, attractive and useful than any
of its predecessors.

Only \$3.20 a Year, including Postage. Weekly.
52 Numbers a Year.

This widely circulated and splendidly illustrated
paper is published weekly. Every number contains six-
teen pages of useful information, and a large number of
original engravings of new inventions and discoveries,
representing Engineering Works, Steam Machinery,
New Inventions, Novelties in Mechanics, Manufactures,
Chemistry, Electricity, Telegraphy, Photography, Archi-
tecture, Agriculture, Horticulture, Natural History, etc.

All Classes of Readers find in THE SCIENTIFIC
AMERICAN a popular resume of the best scientific in-
formation of the day; and it is the aim of the publishers
to present it in an attractive form, avoiding as much as
possible abstruse terms. To every intelligent mind,
this journal affords a constant supply of instructive
reading. It is promotive of knowledge and progress in
every community where it circulates.

Terms of Subscription.—One copy of THE SCIENTIFIC
AMERICAN will be sent for one year—52 numbers—
postage prepaid, to any subscriber in the United States
or Canada, on receipt of three dollars and twenty
cents by the publishers; six months, \$1.60; three
months, \$1.00.

Clubs.—One extra copy of THE SCIENTIFIC AMER-
ICAN will be supplied gratis for every club of five subscribers
at \$3.20 each; additional copies at same proportionate
rate. Postage prepaid.

One copy of THE SCIENTIFIC AMERICAN and one copy
of THE SCIENTIFIC AMERICAN SUPPLEMENT will be sent
for one year, postage prepaid, to any subscriber in the
United States or Canada, on receipt of seven dollars by
the publishers.

The safest way to remit is by Postal Order, Draft, or
Express. Money carefully placed inside of envelopes,
securely sealed, and correctly addressed, seldom goes
astray, but is at the sender's risk. Address all letters
and make all orders, drafts, etc., payable to

MUNN & CO.,
37 Park Row, New York.

To Foreign Subscribers.—Under the facilities of
the Postal Union, the SCIENTIFIC AMERICAN is now sent
by post direct from New York, with regularity, to subscrib-
ers in Great Britain, India, Australia, and all other
British colonies; to France, Austria, Belgium, Germany,
Russia, and all other European States; Japan, Brazil,
Mexico, and all States of Central and South America.
Terms, when sent to foreign countries, Canada excepted,
\$4, gold, for SCIENTIFIC AMERICAN, 1 year; \$9, gold, for
both SCIENTIFIC AMERICAN and SUPPLEMENT for 1
year. This includes postage, which we pay. Remit by
postal order or draft to order of Munn & Co., 37 Park
Row, New York.

No Sawdust! No Planing!

Thin lumber, 1-16 to 1/4 inch thick, cut and seasoned by
our recently patented machines, equal if not superior to
the sawed and planed wood, being smooth, flat, and in
all cases perfectly seasoned. Used by the largest manu-
facturers in the country, and giving entire satisfaction.
In addition to our specialty, our usual complete stock
of sawed Hardwood, Lumber, and Veneers, figured and
plain, Burls, etc.

GEO. W. READ & CO.,

186 to 200 Lewis Street, New York.



RUFFNER & DUNN, Patentees
and Sole Manufacturers of the Excelsior Steel Tube
Cleaners. Price \$1.00 per inch. Send for circular.
SCHUYLKILL FALLS, PHILA., PA.

THE DINGEE & CONARD CO'S
BEAUTIFUL EVER-BLOOMING

ROSES

THE BEST IN THE WORLD.
Our Great Specialty is growing and distributing
these Beautiful Roses. We deliver Strong Pot
Plants, suitable for immediate bloom, safely by mail
at all post-offices. 5 Splendid Varieties, your
choice, all labeled, for \$1; 13 for \$3; 19 for \$3;
26 for \$4; 35 for \$5; 75 for \$10; 100 for \$13.
Send for our New Guide to Rose Culture—
60 pages, elegantly illustrated—and choose from over
Five Hundred Finest Sorts. Address
THE DINGEE & CONARD CO.,
Rose Growers, West Grove, Chester Co., Pa.

\$77 a Month and expenses guaranteed to Agents.
Outfit free. SHAW & CO., AUGUSTA, MAINE.

BIG PAY to sell our Rubber Printing Stamps. Sam-
ples free. Taylor Bros. & Co., Cleveland, O.

ELEVATORS
HAND POWER AND HYDRAULIC
FREIGHT & PASSENGER
SHAFTING PULLEYS & HANGERS
L. S. GRAVES & SON ROCHESTER N.Y.

FOR SECOND-HAND ENGINES,
Address HARRIS IRON WORKS, Titusville, Pa.

LOCOMOTIVE ENGINEERING.—THE
most recent and best examples of Locomotive Construc-
tion, with scale drawings, tables of principal dimen-
sions, general description, etc., are given in the SCIENTIFIC
AMERICAN SUPPLEMENT. The following may be had at this office, or ordered through any News-
dealer. Sent by mail prepaid. Please order by the
numbers here given.

Express Locomotives of the London, Chatham and
Dover R. R. Tank Locomotives. With Specifications,
Dimensions, Particulars and three Engravings. Supple-
ment No. 23. 10 cents.

Locomotives at the Centennial. A series of Eighteen
Outline Illustrations, showing the Principal Locomotives
exhibited at the Centennial, with their measures, and a
table of principal dimensions of each locomotive. Supple-
ment No. 35. 10 cents.

Baldwin Locomotive.—Large engraving in sectional
elevation, with measures, scale, and table of dimensions.
Supplement No. 38. 10 cents.

Narrow Gauge Swedish Locomotive, with one page of
engravings. Supplement 41. 10 cents.

Locomotives of the Eighteen Inch Railway at Crews, Eng.
Two engravings. Supplement 44. 10 cents.

Locomotive Passenger Engines of Midland Railway, with
table of dimensions. Three engravings. Supplement
No. 27. 10 cents. The same number contains report
of valuable information given before the Master
Mechanics' Association, concerning Locomotives and
Locomotive improvements.

Narrow Gauge Locomotives, Indian State Railways, en-
graving and dimensions. Supplement No. 53. 10 cents.
New Railway Locomotive Crane, by Black Hawthorne &
Co. Four engravings to scale, dimensions etc. Supple-
ment No. 54. 10 cents.

New Road Locomotive, by Marshall Sons & Co. General
description and one engraving. Supplement No. 56.
10 cents.

Express Passenger Locomotives, Great Western Railway.
With five engravings, and tables of all the principal di-
mensions. Supplement No. 58. 10 cents.

Locomotive for Burning Petroleum.—Used on Russian
Railways. With description and five illustrations. Supple-
ment No. 63. 10 cents.

Steam Trolley or Chair.—Used on Oude Railway. Two
engravings. Supplement No. 63. 10 cents.

SHEPARD'S CELEBRATED
\$50 Screw Cutting Foot Lathe.

Foot and Power Lathes, Drill Presses,
Scrolls, Circular and Band Saws, Saw
Attachments, Chucks, Mandrels, Twist
Drills, Bore, Callipers, etc. Send for
catalogue of outfits for amateurs or
artisans.
H. I. SHEPARD & CO.,
331, 333, 335, & 337 West Front Street,
Cincinnati, Ohio.

Advertisements.

Inside Page, each insertion --- 25 cents a line.
Back Page, each insertion --- \$1.00 a line.
(About eight words to a line.)

Engravings may have advertisements at the same rate per line, by measurement, as the letter press. Advertisements must be received at publication office as early as Thursday morning to appear in next issue.

AIR COMPRESSORS.
PRICES REDUCED. SEND FOR NEW CATALOGUE.
CLAYTON STEAM PUMP WORKS,
14 AND 16 WATER STREET, BROOKLYN, N. Y.

ROCK DRILLS, COMPRESSORS, FUSE, BATTERIES, POWDER.
HAND DRILL CO.,
31 PARK ROW, N. Y.

JUST PUBLISHED.

Two invaluable reference books for Architects, Engineers, Builders, and others.
"Foundations and Foundation V. J." One 8vo vol., cloth, 30 illustrations. Price, postpaid, \$1.50.
"Plasterers' Manual." One 12mo vol., cloth, illustrated. Price, postpaid, .80.
Specimen Book of 100 architectural designs of cottages, villas, etc., sent by mail on receipt of \$1.
New 1879 Illustrated Catalogue of practical books on architecture, carpentry, and building, sent to any address on receipt of three 5c stamps.
BICKNELL & COMSTOCK,
27 Warren St., New York.

EMPIRE THRESHER
MANUFACTURED AT
HAGERSTOWN, Md.
BY THE HAGERSTOWN STEAM ENGINE & MACHINE CO.
THE BEST IN THE WORLD.
SEND FOR CIRCULARS.

Lathes, Planers, Shapers
Drills, Bolt and Gear Cutters, Milling Machines. Special Machinery. **E. GOULD & EBERHARDT,** Newark, N. J.

ESTABLISHED 1841.

JOSEPH C. TODD,
ENGINEER AND MACHINIST. Flax, Hemp, Jute, Rope, Oakum and Bagging Machinery, Steam Engines, Boilers, etc. I also manufacture Baxter's New Portable Engine of 1871. Can be seen in operation at my store. A one horse-power portable engine, complete, \$125; two horse-power, \$225; two and a half horse-power, \$250; three horse-power, \$275. Manufactured exclusively by
J. C. TODD,
10 Barclay St., New York, or Paterson, N. J.

Mill Stones and Corn Mills.
We make Burr Millstones, Portable Mills, Smut Machines, Packers, Mill Picks, Water Wheels, Pulleys, and Gearing, specially adapted to Flour Mills. Send for catalogue.
J. T. NOYE & SON, Buffalo, N. Y.

EGGLESTON'S ELASTIC TRUSS
Has a Pad differing from all others, in cup-shaped, with Self-Adjusting Ball in center, adapts itself to all positions of the body, while the BALL in the cup PRESSES BACK THE INTESTINES JUST AS A PERSON WOULD WITH THE FINGER. With light pressure the Hernia is held securely day and night, and a radical cure certain. It is easy, durable and cheap. Sent by mail. Circulars free.
Eggleston Truss Co., Chicago, Ill.

SHAFTING, PULLEYS, HANGERS, etc.
a specialty. Send for Price List to
A. & F. BROWN, 57-61 Lewis Street, New York.

PATENTS at AUCTION.
Regular Monthly Sales. For terms, address N. Y. PATENT EXCHANGE, 61 Liberty Street, New York.

The George Place Machinery Agency
Machinery of Every Description.
121 Chambers and 103 Reade Streets, New York.

CARY & MOEN
STEEL WIRE OF EVERY DESCRIPTION
234 W. 29 ST. EVERY & STEEL SPRINGS. NEW YORK CITY

Holly's Improved Water Works.
Direct Pumping Plan. Combines, with other advantages, over older systems, the following: 1. Secures by variable pressure a more reliable water supply for all purposes. 2. Less cost for construction. 3. Less cost for maintenance. 4. Less cost for daily supply by the use of Holly's Improved Pumping Machinery. 5. Affords the best fire protection in the world. 6. Largely reduces insurance risks and premiums. 7. Dispenses with fire engines, in whole or in part. 8. Reduces fire department expenses. For information by descriptive pamphlet, or otherwise, address the
HOLLY MANUFACTURING CO., Lockport, N. Y.

H.W. JOHNS' ASBESTOS
Liquid Paints, Roofing, Boiler Coverings, Steam Packing, Sheathings, Fire Proof Coatings, Cements, &c. SEND FOR DESCRIPTIVE PRICE LIST.
H. W. JOHNS MFG CO. 87 MAIDEN LANE, N. Y.

FOR EXPANDING MANDRILLS, both for Machinists and Amateurs, send for circular to C. W. LE COUNT, South Norwalk, Conn.

CENTENNIAL AND PARIS MEDALS.
Mason's Friction Clutches and Elevators.
"New and Improved Patterns." 20 per cent. off list.
VOLNEY W. MASON & CO., Providence, R. I., U. S. A.

PHOSPHOR-BRONZE BEARINGS, PUMP-RODS, AND SPRING WIRE.
Apply to
THE PHOSPHOR-BRONZE SMELTING CO., Limited,
203 Washington Ave., Philadelphia, Pa.

Park Benjamin's Scientific Expert Office,
37 PARK ROW, NEW YORK.
Examine and Report on Inventions for Investors.

COLUMBIA BICYCLE.
100 miles in 7 hours.
Easy to Learn to Ride.
An ordinary rider can outstrip the best horse in a day's run over common roads. Send 5 cent. stamp for price list and twenty-four page catalogue.
THE POPE MFG. CO.,
30 Summer Street, Boston, Mass.

BAXTER ENGINE FOR SALE.
A second-hand 10-horse power engine, with 15-horse power boiler, in good condition. Will be sold cheap.
PHOTO-ENGRAVING CO.,
67 Park Place, N. Y.

SPARE THE CROTON AND SAVE THE COST.
Driven or Tube Wells
furnished to large consumers of Croton and Ridgewood Water. **WM. D. ANDREWS & BRO.,** 411 Water St., N. Y., who control the patent for Green's American Driven Well.

Roots' Rotary Hand Blower,
FOR ALL KINDS OF BLACKSMITHING.
P. H. & F. M. ROOTS, M'rs., Connorsville, Ind.
S. S. TOWNSEND, Gen. Agt., 16 Cortlandt St., COOKE & BECCS, Sell'g Agts., NEW YORK.
SEND FOR PRICED CATALOGUE.

Deoxidized Bronze (Patent), superior to Phosphor-Bronze or any alloy of Copper and Tin made by any other process. The best thing for machine and engine journals and any purpose requiring a first-class Bronze Metal. Tough, hard, homogeneous, and of splendid anti-friction quality. Reference to some of the largest machinists and steel works. **Electro-Brass on Iron (New Patent).** Indestructible and unchanging by atmospheric action. Use of these patent rights can be obtained on favorable terms. **PHILA. SMELTING CO., Phila., Pa.**

BOGARDUS' PATENT UNIVERSAL ECCENTRIC MILLS—For grinding Bones, Ores, Sand, Old Crucibles, Fire Clay, Guano, Oil Cake, Feed, Corn, Corn and Cob, Tobacco, Snuff, Sugar, Salts, Roots, Spices, Coffee, Coconut, Flaxseed, Asbestos, Mica, etc., and whatever cannot be ground by other mills. Also for Paints, Printers' Inks, Paste Blacking, etc. **JOHN W. THOMSON, successor to JAMES BOGARDUS,** corner of White and Elm Sts., New York.

THE WATSON PUMP FOR ARTESIAN, OR DEEP WELL.
ROD IN DIRECT LINE. MACHINE SIMPLE EFFICIENT. 1608 S. FRONT ST. PHILA.
JAMES WATSON

BOILER COVERINGS.
WITH THE "AIR SPACE" IMPROVEMENTS.
THE CHALMERS-SPENCE CO., Foot E. 9th St., New York. Sole owners of the Air Space Patents.

AIR ENGINES.
No water. No Engineer. Absolutely Safe. Most economical and convenient power known. **SHERHILL ROOPER AIR ENGINE CO.,** 91 & 93 Washington St., N. Y.

Paris, . . 1878
Australia, 1877
Phila., . . 1876
Santiago, 1875
Vienna, . . 1873

J. A. FAY & CO'S WOOD WORKING MACHINERY
was awarded at the Paris Exposition over all competitors **THE GOLD MEDAL OF HONOR.** Also highest award at Phila., Santiago, Australia, and Vienna. It is Original in Design. Simple in Construction. Perfect in Workmanship. Saves labor, Economizes lumber, and increases products of the highest standard of Excellence.

Railroad, Furniture, and Agricultural Implement Shops, Planing Mills, etc., equipped at short notice, and the lowest cash prices. Send for Circulars.
J. A. FAY & CO., Cincinnati, Ohio, U. S. A.

DEAN BROTHERS, INDIANAPOLIS, IND.,
Manufacturers of
Dean Steam Pumps
Boiler Feeders and Pumping Machinery for all purposes.

MINING MACHINERY. Engines, Boilers, Pumps, Coal and Ore Jigs, Dust Burning Appliances. Drawings and advice free to customers. **Jeansville Iron Works (J. C. Haydon & Co.),** Address: **HOWELL GREEN,** Supt., Jeansville, Luzerne Co., Pa.

ICE AT \$1.00 PER TON.
The PICTET ARTIFICIAL ICE CO., LIMITED.
Room 51, Coal and Iron Exchange, P. O. Box 303, N. Y.

THE SKINNER PORTABLE & STATIONARY ENGINES & BOILERS & GOVERNORS
First Class Mechanical. **SKINNER & WOOD, ENRIE, PA.**
SEE ILLUSTRATED ADVERTISEMENT

ALCOCK LATHES, for Broom, Rake and Hoe Handles. **S. C. HILLS,** 78 Chambers St., N. Y.

Wood-Working Machinery,
Such as Woodworth Planing, Tonguing, and Grooving Machines, Daniel's Planers, Richardson's Patent Improved Tenon Machines, Mortising, Moulding, and Re-Saw Machines, Eastman's Pat. Miter Machines, and Wood-Working Machinery generally. Manufactured by **WITHERBY, RUGG & RICHARDSON,**
20 Salisbury Street, Worcester, Mass.
(Shop formerly occupied by R. BALL & CO.)

\$3 Printing Press
Prints cards, labels, &c. (Self-Inker) \$3. 18 larger sizes for business or pleasure. Young or old. Do your own advertising and printing. Catalogue of prices, type, cards, &c., for 2 stamps. **Kelsey & Co., Meriden, Conn.**

HARTFORD STEAM BOILER
Inspection & Insurance
COMPANY.

W. B. FRANKLIN, V. Pres't. J. M. ALLEN, Pres't.
J. B. PIERCE, Sec'y.

The VICTOR ROCK DRILL,
Well Borer, and Prospector.
The Diploma and Prize Medal awarded it at the "Centennial" in 1876. Twenty-six of these hand machines ordered in one day. 127 Good active Agents can clear \$125 per week. Send for Circulars and Terms.
Address **W. WEAVER,** Phoenixville, Pa.

DROP HAMMERS.
STILES & PARKER PRESS CO., Middletown, Conn.

\$10 to \$1000 Invested in Wall St. Stocks makes fortunes every month. Books sent free explaining everything.
Address **BAXTER & CO., Bankers,** 17 Wall St., N. Y.

MACHINISTS' TOOLS.
NEW AND IMPROVED PATTERNS.
Send for new illustrated catalogue.
Lathes, Planers, Drills, &c.
NEW HAVEN MANUFACTURING CO., New Haven, Conn.

IMPORTANT FOR ALL CORPORATIONS AND MAN'G CONCERNS. **Huerk's Watchman's Time Detector,** capable of accurately controlling the motion of a watchman or patrolman at the different stations of his beat. Send for circular.
J. E. HUEBK, P. O. Box 979, Boston, Mass.
Beware of buying infringing Detectors.

KEYSTONE Vertical Mill.
Stones made of the best French Burr. For Grinding Wheat, Middlings, Corn, Feed, etc. Price as low as any other first-class Mill. Circulars and prices furnished by
C. K. BULLOCK,
1361 Ridge Ave., Philadelphia, Pa.

TO LARGE CONSUMERS OF FINE LIGHT Malleable and Gray Iron Castings.
We can offer special inducements in the way of VERY SUPERIOR QUALITY GUARANTEED, and at fair prices. Being ourselves large consumers and requiring the most perfect castings, other work is insured the same attention. **Mallory, Wheeler & Co.,** New Haven, Conn.

60 Cards—20 Chromo, 10 Motto, 30 Ocean Shells, Snowflake, etc. Name on 10c. **Clinton Bros., Clintonville, Ct.**

J. LLOYD HAIGH,
Manufacturer of
WIRE ROPE

of every description, for Railroad and Mining Use, Elevators, Derricks, Rope Tramways, Transmission of Power, etc. No. 81 John St., N. Y. Send for price list. Plans and Estimates furnished for Suspension Bridges.

PERFECT NEWSPAPER FILE

The Koch Patent File, for preserving newspapers, magazines, and pamphlets, has been recently improved and price reduced. Subscribers to the **SCIENTIFIC AMERICAN** and **SCIENTIFIC AMERICAN SUPPLEMENT** can be supplied for the low price of \$1.50 by mail, or \$1.25 at the office of this paper. Heavy board sides; inscription "SCIENTIFIC AMERICAN," in gilt. Necessary for every one who wishes to preserve the paper.
Address
MUNN & CO.,
Publishers **SCIENTIFIC AMERICAN**

BRADFORD MILL CO.
Successors to Jas. Bradford & Co.,
French Burr Millstones,
Portable Corn & Flour Mills, Smut Machines, etc.
Also, dealers in Bolting Cloths and General Mill Furnishings.
Office & Factory, 158 W. 24 St. CINCINNATI, O.
J. R. Stewart, Pres. W. R. Dunlap, Sec.
PRICE LISTS SENT ON APPLICATION.

AGENT WANTED
IN EVERY COUNTY.
RELIABLE, INTELLIGENT BUSINESS MEN can clear \$1,000 to \$3,000 yearly in the NEW AGENCY. Entirely new and desirable—pleasant and permanent. Can be carried on in connection with a store, shop, or mill, or by any good agent. Suitable for every county in the United States.
Address
J. B. CHAPMAN,
70 WEST STREET, MADISON, IND.

Leffel Water Wheels,
With recent improvements.
Prices Greatly Reduced.
8000 in successful operation.
FINE NEW PAMPHLET FOR 1879.
Sent free to those interested.
James Leffel & Co.,
Springfield, O.
110 Liberty St., N. Y. City.

BALDNESS.—By **GEORGE H. ROHE,** M.D. A brief but highly useful paper, showing the causes of Baldness, how Dandruff is produced, why the hair falls off, with explanations of Kaul's Prompt and Effective Remedy and Recipe for the same; together with Directions and General Advice for Preventing Baldness, Restoring and Preserving the Hair. This is one of the most Useful, Practical, and Valuable Papers concerning the Treatment of Baldness ever published. Contained in **SUPPLEMENT 161.** Price 10 cents.

THE TANITE CO.,
STROUDSBURG, PA.
EMERY WHEELS AND GRINDERS.
LONDON—9 St. Andrews St., Holborn Viaduct, E. C.
LIVERPOOL—42 The Temple, Dale St.

ROCK DRILLING MACHINES
AND
AIR COMPRESSORS.
MANUFACTURED BY **BURLEIGH ROCK DRILL CO.**
SEND FOR PAMPHLET. **FITCHBURG, MASS.**

HOUSE DRAINS AND THEIR COMMON DEFECTS.—By **Ellet C. Clarke, C.E.,** Principal Assistant Engineer in charge of the Improved Sewerage Work, Boston, Mass. With 34 Illustrations. An Important and Valuable Paper, showing the Essential Conditions for Efficient House Drainage; the proper sizes, forms, and best materials for drains; the evil results of making them too large; the proper inclination for drains; the best methods of making them tight; the right and the wrong methods of connecting drains with sewers, with engravings. How leaks in drains occur and how detected. Descriptions of the most common defects in drains, with engravings. Together with many valuable suggestions and directions of great value to housekeepers and owners of property, whether in town or country. This paper is based on the observations of the author during an extended experience in the actual construction of drains and sewers, and presents in concise form the latest and best information on the subject. Contained in **SCIENTIFIC AMERICAN SUPPLEMENT**, number 179. Price 10 cents. To be had at this office and of newsdealers everywhere.

FOR ALL KINDS OF MACHINERY—Apply to
S. C. HILLS, 78 Chambers St., New York.

50 Latest Style CARDS, Bouquet, Lovers, Floral, etc., in case, name in gold, 10c. SEATT 2203, Northford, Ct.

THE DRIVEN WELL.
Town and County privileges for making Driven Wells and selling Licenses under the established American Driven Well Patent, leased by the year to responsible parties, by
WM. D. ANDREWS & BRO.,
NEW YORK.

PATENT COLD ROLLED SHAFTING.

The fact that this shafting has 75 per cent. greater strength, a finer finish, and is true to gauge, than any other in use renders it undoubtedly the most economical. We are also the sole manufacturers of the **CELEBRATED COLLINS' PAT. COUPLING**, and furnish Pulleys, Hangers, etc., of the most approved styles. Price list mailed on application to
JONES & LAUGHLIN,
Try Street, 2d and 3d Avenues, Pittsburgh, Pa.
100 S. Canal Street, Chicago, Ill., and Milwaukee, Wis.
27 Stocks of this shafting in store and for sale by
FULLER, DANA & FITZ, Boston, Mass.
Geo. Place Machinery Agency, 111 Chambers St., N. Y.

PATENTS

CAVEATS, COPYRIGHTS, TRADE MARKS, ETC.

Messrs. Munn & Co., in connection with the publication of the **SCIENTIFIC AMERICAN**, continue to examine Improvements, and to act as Solicitors of Patents for Inventors.

In this line of business they have had over THIRTY YEARS' EXPERIENCE, and now have unequalled facilities for the preparation of Patent Drawings, Specifications, and the Prosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs. Munn & Co. also attend to the preparation of Caveats, Trade Mark Registrations, Copyrights for Books, Labels, Reliefs, Assignments, and Reports on Infringements of Patents. All business entrusted to them is done with special care and promptness, on very moderate terms.

We send free of charge, on application, a pamphlet containing further information about Patents and how to procure them; directions concerning Trade Marks, Copyrights, Designs, Patents, Appeals, Reliefs, Infringements, Assignments, Rejected Cases, Hints on the Sale of Patents, etc.

Foreign Patents.—We also send, free of charge, a Synopsis of Foreign Patent Laws, showing the cost and method of securing patents in all the principal countries of the world. American Inventors should bear in mind that, as a general rule, any invention that is valuable to the patentee in this country is worth equally as much in England and some other foreign countries. Five patents—embracing Canadian, English, German, French, and Belgian—will secure to an inventor the exclusive monopoly to his discovery among about one hundred and fifty millions of the most intelligent people in the world. The facilities of business and steam communication are such that patents can be obtained abroad by our citizens almost as easily as at home. The expense to apply for an English patent is \$75; German, \$100; French, \$100; Belgian, \$100; Canadian, \$50.

Copies of Patents.—Persons desiring any patent issued from 1836 to November 26, 1867, can be supplied with official copies at reasonable cost, the price depending upon the extent of drawings and length of specifications.

Any patent issued since November 27, 1867, at which time the Patent Office commenced printing the drawings and specifications, may be had by remitting to this office \$1.

A copy of the claims of any patent issued since 1836 will be furnished for \$1.

When ordering copies, please remit for the same as above, and state name of patentee, title of invention, and date of patent.

A pamphlet, containing full directions for obtaining United States patents, sent free. A handsomely bound Reference Book, gilt edges, contains 140 pages and many engravings and tables important to every patentee and mechanic, and is a useful hand book of reference for everybody. Price 25 cents, mailed free.

Address
MUNN & CO.,
Publishers **SCIENTIFIC AMERICAN,**
37 Park Row, New York.
BRANCH OFFICE—Corner of F and 7th Streets, Washington, D. C.

THE "Scientific American" is printed with CHAS. KENT JOHNSON & CO.'S INK. Tenth and Lombard Sts., Philadelphia, and 50 Gold St., New York.